



# Water Science & Technology





Select Language ▼

## Issues

Select Year  Issue

### Issue Navigation

#### RESEARCH ARTICLES

Plasma degradation of Cationic Blue dye with contact glow discharge electrolysis

Jin Xing-long; Wang Xiao-yan; Wang Qing-feng; Yue Jun-jie; Cai Ya-qi

Inhibitory effect of copper on enhanced biological phosphorus removal

Guangxue Wu; Michael Rodgers

Comparison of grey water treatment performance by a cascading sand filter and a constructed wetland

W. W. Kadewa; K. Le Corre; M. Pidou; P. J. Jeffrey; B. Jefferson

Computational benefits using artificial intelligent methodologies for the solution of an environmental design problem: saltwater intrusion [Skip to Main Content](#)

Maria P. Papadopoulou; Ioannis K. Nikolos; George P. Karatzas

[Abstract](#) ▾[View article](#)[PDF](#)

---

## An analysis of the combined consequences of pluvial and fluvial flooding 🛒

A. S. Chen; S. Djordjević; J. Leandro; D. A. Savić

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Factors affecting the performance and risks to human health of on-site wastewater treatment systems 🛒

K. J. Levett; J. L. Vanderzalm; D. W. Page; P. J. Dillon

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Effect of digester F/M ratio on gas production and sludge minimization of ultrasonically treated sludge 🛒

Gözde T. Köksoy; F. Dilek Sanin

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Partial nitrification of non-ammonium-rich wastewater within biofilm filters under ambient temperature 🛒

Hongyu Wang; Jiajie He; Kai Yang

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Electro-coagulation treatment efficiency of graphite, iron and aluminum electrodes using alum and wood ash electrolytes on a Kraft pulp and paper mill effluent 🛒

O. B. Orori; L. Etiégni; K. Senelwa; M. M. Mwamburi; K. B. Balazi ...

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Using excess sludge as carbon source for enhanced nitrogen removal and sludge reduction with hydrolysis technology 🛒

Yong-Qing Gao; Yong-Zhen Peng; Jing-Yu Zhang; Jian-Long Wang; Liu Ye

[Abstract](#) ▾[View article](#)[PDF](#)

---

[Skip to Main Content](#)

## Membrane process treatment for greywater recycling: investigations on direct tubular nanofiltration 🛒

[F. Hourlier](#); [A. Massé](#); [P. Jaouen](#); [A. Lakel](#); [C. Gérente](#) ...

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Characterization of microbial communities in exhaust air treatment systems of large-scale pig housing facilities

[J. Haneke](#); [N. M. Lee](#); [T. W. Gaul](#); [H. F. A. Van den Weghe](#)

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Operating boundaries of full-scale advanced water reuse treatment plants: many lessons learned from pilot plant experience

[C. Bele](#); [Y. Kumar](#); [T. Walker](#); [Y. Poussade](#); [V. Zavlanos](#)

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Chemical components of bleached eucalypt kraft pulp effluent COD and treatment removal efficiency during normal mill operation and maintenance shutdowns

[C. L. S. Rodrigues](#); [A. H. Munteer](#); [T. V. Stoppa](#); [L. C. Dalvi](#)

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Effect of chloride concentration on nitrogen removal from landfill leachate in sequencing batch reactor after MAP pretreatment

[M. Chen](#); [S. He](#); [Q. Yi](#); [M. Yang](#)

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Design and development of decentralized water and wastewater technologies: a combination of safe wastewater disposal and fertilizer production

[S. Fach](#); [S. Fuchs](#)

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Analysis of variation and relation of climate, hydrology and water quality in the lower Mekong River

[Skip to Main Content](#); [Nguyen Viet Anh](#); [Dang The Ba](#); [Suthipong Sthiannopkao](#); [Kyoung-Woong Kim](#)

[Abstract](#) ▾[View article](#)[PDF](#)

## Effluent carbonaceous biochemical oxygen demand (CBOD) characterization for modern pulp and paper facilities 🛒

J. E. Palumbo; L. C. Brown; C. V. Maltby; L. Eppstein

[Abstract](#) ▾[View article](#)[PDF](#)

---

## On site flotation for recovering polluted aquatic systems: is it a feasible solution for a Brazilian urban river? 🛒

D. G. F. Cunha; D. Grull; M. Damato; J. R. C. Blum; J. E. I. Lutti ...

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Combining multimedia models with integrated urban water system models for micropollutants 🛒

W. De Keyser; V. Gevaert; F. Verdonck; I. Nopens; B. De Baets ...

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Cost benefit analysis of measures to reduce industrial effluent discharges 🛒

Åsa Sivard; Tomas Ericsson; Nippe Hylander; Magnus Karlsson; Mikael Malmaeus

[Abstract](#) ▾[View article](#)[PDF](#)

---

## A water sustainability index for West Java. Part 1: developing the conceptual framework 🛒

I. Juwana; B. J. C. Perera; N. Mutil

[Abstract](#) ▾[View article](#)[PDF](#)

---

## A water sustainability index for West Java – Part 2: refining the conceptual framework using Delphi technique 🛒

I. Juwana; B. J. C. Perera; N. Mutil

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Industrial membrane processes in the treatment of process waters and liquors 🛒

[Skip to Main Content](#)

M. Mänttari; M. Kallioinen; A. Pihlajamäki; M. Nyström

[Abstract](#) ▾[View article](#)[PDF](#)

---

## Model assisted startup of anaerobic digesters fed with thermally hydrolysed activated sludge

D. J. Batstone; C. Balthes; K. Barr

[Abstract](#) 

[View article](#)

[PDF](#) 

---

## Preliminary identification of watershed management strategies for the Houjing river in Taiwan

C. E. Lin; C. M. Kao; C. J. Jou; Y. C. Lai; C. Y. Wu ...

[Abstract](#) 

[View article](#)

[PDF](#) 

---

## Effect of ozonation on activated sludge from pulp and paper industry

S. Gupta; S. K. Chakrabarti; S. Singh

[Abstract](#) 

[View article](#)

[PDF](#) 

---

## Reducing the effect of cyanobacteria in the microfiltration of secondary effluent

Y. T. Goh; J. L. Harris; F. A. Roddick

[Abstract](#) 

[View article](#)

[PDF](#) 

---

## Study on cement mortar and concrete made with sewage sludge ash

F. C. Chang; J. D. Lin; C. C. Tsai; K. S. Wang

[Abstract](#) 

[View article](#)

[PDF](#) 

---

## Replacement of fresh water use by final effluent recovery in a highly optimized 100% recovered paper mill

R. Ordóñez; D. Hermosilla; I. San Pío; A. Blanco

[Abstract](#) 

[View article](#)

[PDF](#) 

---

[Cover Image](#)  
[Skip to Main Content](#)  
[Table of Contents](#) 

 **Email alerts**

Latest Articles

New issue alert

Latest	Most Read	Most Cited
<p>Cr (VI) ions water pollution, toxicity and remediation by polypyrrole-based adsorbents: a review</p> <p>Calibration and sensitivity analysis of a novel water flow and pollution model for future city planning: Future Urban Stormwater Simulation (FUSS)</p> <p>Novel design of amine and metal hydroxide functional group modified onto sludge biochar for arsenic removal</p> <p>An influent generator for WRRF design and operation based on a recurrent neural network with multi-objective optimization using a genetic algorithm</p> <p>Life cycle assessment of paper mill wastewater: a case study in Viet Nam</p>		

---

[Water Science & Technology](#)

ISSN 0273-1223 EISSN 1996-9732

---

 [Cart](#)

[Subscriptions](#)

[FAQ](#)

[Skip to Main Content](#)

[Contact us](#)

[eBooks](#)

[Sign Up for Our Mailing List](#)

[Open Access](#)

Collections  
IWA Publishing  
Republic – Export Building, Units 1.04 & 1.05  
1 Clove Crescent  
London, E14 2BA, UK

[IWAPublishing.com](http://IWAPublishing.com)  
[IWA-network.org](http://IWA-network.org)  
[IWA-connect.org](http://IWA-connect.org)

Telephone: +44 207 654 5500  
Fax: +44 207 654 5555



[Cookie Policy](#)

[Terms & Conditions](#) [Privacy](#) [Site Map](#) [Get Adobe Acrobat Reader](#) ©Copyright 2021 IWA Publishing

```
<style type="text/css">  
.sticky-footer .icon-general-close {display: none;}  
</style>
```





# Editorial Board

## Editors-in-Chief

Wolfgang Rauch, Inst. of Infrastructure Engineering, University of Innsbruck, Austria

Gang Liu, Research Center for Eco-Environmental Sciences, Chinese Academy of Sciences, China

## Core Editor Team

James Ball, Civil and Environmental Engineering, University of Technology, Sydney, Australia

Jo Burgess, Head of South Africa, Water Research Commission, South Africa

Günter Langergraber, Inst of Sanitary Engineering, University of Natural Resources, Austria

Jeroen G. Langveld, Department of Water Management, Delft University of Technology, The Netherlands

Marie-Noelle Pons, Laboratoire Réactions et Génie des Procédés, CNRS Université de Lorraine, Nancy, France

Leiv Rieger, inCTRL Solutions Inc., Canada

Ivana Teodorovic, Department of Biology and Ecology, University of Novi Sad Faculty of Sciences, Serbia

Guoren Xu, School of Municipal & Environmental Engineering, Harbin Institute of Technology, China

## Editors

[Skip to Main Content](#)

Aminuddin Ab Ghani, River Engineering & Urban Drainage Research Center (REDAC), Universiti Sains Malaysia, Malaysia

Srijan Aggarwal, Civil Geological and Environmental Engineering, University of Alaska Fairbanks, USA

Míriam Amaral, Departamento de Engenharia Sanitaria e Ambiental, Universidade Federal de Minas Gerais, Brazil

Idil Arslan-Alaton, Environmental Engineering, Istanbul Technical University, Turkey

Nazik Artan, Department of Environmental Engineering, Istanbul Technical University, Turkey

Akintunde Babatunde, Cardiff School of Engineering, University of Leeds, UK

Juan Antonio Baeza, Department of Chemical Biological and Environmental Engineering, Universitat Autònoma de Barcelona, Spain

Giorgio Bertanza, Director of the Department of Civil Engineering, Architecture, Land, Environment and Mathematics (DICATAM), University of Brescia, Italy

Tobias Bleninger, Department of Environmental Engineering - DEA, Federal University of Paraná, Brazil

Camilla Braguglia, National Research Council, Water Research Institute, Italy

Andrea G. Capodaglio, Civil Engineering & Architecture, University of Pavia, Italy

Diana Catalina Rodriguez, Faculty of Engineering, Universidad de Antioquia, Colombia

Daniele Cecconet, Department of Chemistry, University of Pavia, Italy

Evans Chirwa, Chemical Engineering, University of Pretoria, South Africa

Meng Nan Chong, School of Engineering, Monash University, Malaysia

Nicolas Derlon, Department of Process Engineering, Eawag, Switzerland

Stefano Freguia, Department of Chemical Engineering, Faculty of Engineering & Information Technology, The University of Melbourne, Australia

Gabriele Freni, Facoltà di Ingegneria ed Architettura, Università di Enna Kore, Italy

Simón González-Martínez, UNAM · Institute of Engineering, National Autonomous University, Mexico

Dawen Gao, School of Environment and Energy Engineering, Harbin Institute of Technology, China

Sergi Garcia Segura, School of Sustainable Engineering and the Built

[Skip to Main Content](#) Environment, Arizona State University, USA

Jianhua Guo, Advanced Water Management Centre - AMWC, The University of Queensland, Australia

Faisal Hai, School of Civil, Mining and Environmental Engineering, Faculty of Engineering and Information Sciences, University of Wollongong, Australia  
Willie Harper, Systems and Engineering Management, Air Force Institute of Technology, Ohio, USA

Xia Huang, Division of Water Environment, Tsinghua University, China

Yuk Feng Huang, Department of Civil Engineering, Universiti Tunku Abdul Rahman, Malaysia

Manfred Kleidorfer, Unit of Environmental Engineering, University of Innsbruck, Austria

Daniele Biagio Laucelli, Department of Civil Engineering and Architecture, Politecnico di Bari, Italy

Olivier Lefebvre, Civil and Environmental Engineering, National University of Singapore, Singapore

Dezhao Liu, Agricultural Engineering, Zhejiang University, China

Giorgio Mannina, Dipartimento di Ingegneria Civile, Ambientale, Aerospaziale, dei Materiali - DICAM, Università di Palermo, Italy

Giuseppe Mascolo, Water Research Institute (Istituto di ricerca sulle acque), Italian National Research Council, Italy

Victor Matamoros, Environmental Chemistry, Institute of Environmental Assessment and Water Research (IDAEA), Spain

Lucas Meili, Center of Technology, Federal University of Alagoas, Brazil

Leopoldo Mendosa Espinosa, Oceanographic Research Institute, Autonomous University of Baja California, Mexico

Tobias Morck, Sanitary and Environmental Engineering, Universität Kassel, Germany

Mu. Naushad, Chemistry Department College of Sciences, King Saud University, Saudi Arabia

Adalberto Noyola, Instituto de Ingeniería UNAM, Circuito Escolar, Ciudad Universitaria, Mexico

Isabel Oller, Energy Department, CIEMAT-Plataforma Solar de Almería, Spain

Gustaf Olsson, Biomedical Engineering, Lund University, Sweden

Banu Örmeci, Department of Civil and Environmental Engineering, Carleton University, Canada

Miklós Patziger, Department of Sanitary and Environmental Engineering, Budapest University of Technology and Economics, Hungary

Elías Razo-Flores, División de Ciencias Ambientales, IPICYT, Mexico

Luigi Rizzo, Department of Civil Engineering, University of Salerno, Italy

[Skip to Main Content](#)

Jorge Rodríguez, Department of Chemical Engineering, Khalifa University,  
Masdar Institute of Science and Technology, United Arab Emirates

Roisin Rooney, Public Health Policy Support- Cancer Information, European  
Commission, Italy

Fabrizio Sabba, Water Technology Group, Black & Veatch, USA

Didem Saloglu Dertli, Disaster and Emergency Management, ITU Disaster  
Management Institute, Turkey

Lotfi Sellaoui, Department of Physics, Monastir University, Tunisia

Robert Sitzenfrei, Unit of Environmental Engineering, University of Innsbruck,  
Austria

Ho Kyong Shon, Environmental Engineering, University of Technology Sydney  
(UTS), Australia

Katerina Stamatelatou, Department of Environmental Engineering,  
Democritus University of Thrace, Greece

Darren Sun, School of Civil and Environmental Engineering, Nanyang  
Technological University, Singapore

Karl Svardal, Institute for Waterquality, TU Vienna, Austria

Hai Nguyen Tran, Civil Engineering, Duy Tan University, Vietnam

Ngoc Han Tran, NUS Environmental Research Institute, National University of  
Singapore, Singapore

Yiu Fai Tsang, Department of Science and Environmental Studies, The  
Education University of Hong Kong, Hong Kong

Stijn Van Hulle, Department of Green Chemistry and Technology, Ghent  
University, Belgium

Vasudevan Subramanyan, Central Electrochemical Research Institute,  
Electro Inorganic Chemicals Division, CSIR-CECRI, India

Paola Verlicchi, Department of Engineering, University of Ferrara, Italy

Matthew Wade, Wastewater Research and Development, UK Health Security  
Agency, UK

Zongsu Wei, Department of Biological and Chemical Engineering, Aarhus  
University, Denmark

Thomas Wintgens, Institute for Ecopreneurship, University of Applied  
Sciences Northwestern Switzerland

Miaomiao Ye, Zhejiang Key Laboratory of Drinking Water Safety and

[Skip to Main Content](#) Distribution Technology, College of Civil Engineering and Architecture,  
Zhejiang University, China

## Special Issue Editors for Design, Operation and Economics of Large Wastewater Treatment Plants

Jörg Krampe, TU Wien, Vienna, Austria  
Norbert Jardin, Ruhrverband, Essen, Germany  
Vanessa Parravicini, TU Wien, Vienna, Austria  
Jiri Wanner, UCT Prague, Czech Republic  
Miklos Patziger, BME, Budapest, Hungary

## Special Issue Editors for Technologies for water quality and wastewater management in developing countries

B. Deepanraj, Jyothi Engineering College, India  
R. Sivashankar, Hindustan Institute of Technology, India  
A. M. Saravanan, National University of Science and Technology, Oman  
P. Abdul Salam, Asian Institute of Technology, Thailand  
Abd El-Fatah Abomohra, Chengdu University, China

---

[Water Science & Technology](#)

ISSN 0273-1223 EISSN 1996-9732

---

 [Cart](#)

[Subscriptions](#)

[FAQ](#)

[Journals](#)

[Contact us](#)

[eBooks](#)

[Sign Up for Our Mailing List](#)

[Open Access](#)

[Collections](#)

[IWA Publishing](#)

Republic – Export Building, Units 1.04 & 1.05

1 Clove Crescent

London, E14 2BA, UK

Telephone: +44 207 654 5500

Fax: +44 207 654 5555

[Skip to Main Content](#)

[IWAPublishing.com](http://IWAPublishing.com)

[IWA-network.org](http://IWA-network.org)

[IWA-connect.org](http://IWA-connect.org)



[Cookie Policy](#)

```
<style type="text/css">
```

```
  .sticky-footer .icon-general-close {display: none;}
```

```
</style>
```



SJR

Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name



Home

Journal Rankings

Country Rankings

Viz Tools

Help

About Us



## Complexity Research Papers

High Quality Open Access Original Research In Complexity. Publish Your Research With Us


Hindawi

Open

## Water Science and Technology

**COUNTRY**

United Kingdom



**SUBJECT AREA AND CATEGORY**

Environmental Science  
 — Environmental Engineering  
 — Water Science and Technology

**PUBLISHER**

IWA Publishing

**H-INDEX**

**145**

**PUBLICATION TYPE**

Journals

**ISSN**

02731223

**COVERAGE**


1970, 1980-2021

**INFORMATION**

[Homepage](#)  
[How to publish in this journal](#)  
[wst@iwap.co.uk](mailto:wst@iwap.co.uk)



Journal Cover  
 Letter Templates




A banner for Hindawi publishing. It features the text "Published with Hindawi" in a large, bold, black font. Below this, the word "Hindawi" is written in a smaller font. To the right of the main text is a button labeled "Open". In the top right corner of the banner, there is a small icon of a document with an 'x' next to it.

**SCOPE**

Water Science and Technology publishes peer-reviewed papers on all aspects of the science and technology of wastewater treatment and water quality management worldwide. This encompasses five broad areas: Wastewater treatment and transportation processes for stormwater and domestic, industrial and municipal effluents Sources of pollution including hazardous wastes and source control Effects and impacts of pollution on rivers, lakes, groundwater and marine waters Water reuse and aquatic environmental restoration Policy, strategy, control and management aspects of water quality Water Science and Technology, together with Water Supply and Water Practice and Technology, have a special mission to serve as a bridge between science, engineering applications and management aspects of water as represented by the many IWA Specialist Groups. Papers describing progress in full-scale implementations are particularly encouraged. Water Science and Technology offers fast publication for new findings and research directions.

 Join the conversation about this journal



A banner for Hindawi publishing, identical to the one above. It features the text "Published with Hindawi" in a large, bold, black font. Below this, the word "Hindawi" is written in a smaller font. To the right of the main text is a button labeled "Open". In the top right corner of the banner, there is a small icon of a document with an 'x' next to it.







 Quartiles






FIND SIMILAR JOURNALS ?

<p>1 <b>Environmental Technology (United Kingdom)</b> GBR</p> <p><b>84%</b> similarity</p>	<p>2 <b>Water Environment Research</b> USA</p> <p><b>84%</b> similarity</p>	<p>3 <b>Chinese Journal of Environmental Engineering</b> CHN</p> <p><b>84%</b> similarity</p>	<p>4 <b>Journal of Environmental Engineering, ASCE</b> USA</p> <p><b>80%</b> similarity</p>
--	---	---	---



Cited documents Uncited documents



**Water Science and Technology**

Q2

Water Science and Technology

best quartile

SJR 2021

0.45

powered by scimagojr.com


Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimaç
```

### SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool.**



Metrics based on Scopus® data as of April 2022

G

**Gembo** 10 months ago

May I know what is the Quartile rank for this journal last year 2021?

reply

M

**Melanie Ortiz** 10 months ago

SCImago Team

Dear Gembo,

Thank you for contacting us. Our data come from Scopus, they annually send us an update of the data. This update is sent to us around April / May every year. The SJR for 2020 was released on 17 May 2021. Therefore, the indicators for 2021 will be available in

May/June 2022 and before that date we can't know what will happen with this journal.  
Best Regards, SCImago Team

N

**Nada Mohammed AL-Ananzeh** 1 year ago

Dear Team.

Last year This journal was a Q2, please I need a confirmation from you of this for my work.

reply

M

**Melanie Ortiz** 1 year ago

SCImago Team

Dear Nada, thank you very much for your request. You can consult that information just above. Best Regards, SCImago Team

F

**Fiderman Machuca Martinez** 2 years ago

Estimados señores SJR,

por favor me indican si la revista Water Science and Technology estuvo cancelada o descontinuada en Scopus y por ende en el SJR report para el 2017 a 2020. He buscado en Scopus y la revista reporta actividad para esos años

Muchas gracias

Fiderman Machuca Martinez

reply

M

**Melanie Ortiz** 2 years ago

SCImago Team

Dear Fiderman,

Thank you for contacting us.

According to Scopus database (<https://www.scopus.com/sourceid/19376>) this journal was indexed in that period. In addition, SJR indicators are available for that period too (check above).

Best Regards, SCImago Team

O

**Omar** 2 years ago

It takes how long to receive the first decision please?

reply

**Melanie Ortiz** 2 years ago

SCImago Team

Dear Omar,  
thank you for contacting us.  
Unfortunately, we cannot help you with your request, we suggest you visit the journal's homepage (See submission/author guidelines) or contact the journal's editorial staff , so they could inform you more deeply.  
Best Regards, SCImago Team

**Yadeta Teshome** 3 years ago

I do have manuscripts to be published. Does the publisher active to receive manuscripts.

Regards!

reply

**Melanie Ortiz** 3 years ago

SCImago Team

Dear Yadeta,  
thank you for contacting us.  
Sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.  
Unfortunately, we cannot help you with your request, we suggest you to visit the journal's homepage or contact the journal's editorial staff , so they could inform you more deeply.  
Best Regards, SCImago Team

**Yadeta Teshome** 3 years ago

Dear  
Shall you receive a manuscript for publication?

Regards!

reply

**Melanie Ortiz** 3 years ago

SCImago Team

Dear Yadeta,  
thank you for contacting us.  
Sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request, we suggest you to contact the book series editorial staff , so they could inform you more deeply. Best Regards, SCImago Team

I

**Iván Andrés Sánchez Ortiz** 3 years ago

Good evening

I would like to ask You about why the ranking for the Water Science and Technology Journal only appears until the year 2017? Can we expected to update the ranking for 2019 or 2020?

Sincerely yours,

Iván Andrés

reply

M

**Melanie Ortiz** 3 years ago

SCImago Team

Dear Iván, the publication of articles referring to 2019 is not over yet (we are in December), and much less it has been possible to cite unpublished articles. The 2018's indicators are available, see just above. The 2019's indicators will not be available until June 2020. Best Regards, SCImago Team

A

**azeddine** 3 years ago

hello

I am a Moroccan doctoral student and I hope to submit my paper to your journal which treats a physico-chemical analysis of sludge (characterization, sorption isotherm) as well as a thermodynamic study

reply

M

**Melanie Ortiz** 3 years ago

SCImago Team

Dear user,

thank you for contacting us.

Sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request, we suggest you to visit the journal's homepage (see submission guidelines) or contact the journal's editorial staff , so they could inform you more deeply.

Best Regards, SCImago Team

D

**Dr Rashmi Sharma** 4 years ago

I want to become member.  
Publish Paper, Become member editorial board.  
Dr. Rashmi Sharma  
Associate Professor Zoology  
Ajmer  
Rajasthan  
INDIA.  
918949593913

reply

**Leave a comment**

Name

Email   
(will not be published)

I'm not a robot reCAPTCHA  
Privacy - Terms

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on [@ScimagoJR](#)

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS

Horatio (Satire 1,1,106)

[Edit Cookie Consent](#)

# A water sustainability index for West Java. Part 1: developing the conceptual framework

I. Juwana, B. J. C. Perera and N. Muttill

## ABSTRACT

Sustainable water resources management is essential since it ensures the integration of social, economical and environmental issues into all stages of water resources management. The development and application of water sustainability indices to achieve sustainable water management has been successfully done in the last few years. Although existing water sustainability indices have successfully provided information on current conditions of water resources and prioritised water related issues, they have been developed for specific case study areas. This study therefore aims at developing a water sustainability index for West Java, Indonesia. The overall steps for developing the index include developing a conceptual framework, application of Delphi technique to finalise the components/indicators of the index, applying the index to case studies and robustness analysis of the index. This paper, which is the first in a two-part series, discusses the first step, namely developing the conceptual framework of the West Java Water Sustainability Index (WJWSI). It outlines the criteria for identifying the initial set of components/indicators and based on those criteria, a detailed justification for selecting each component and indicator is also presented. The second paper of the series presents the application of Delphi technique to finalise the framework of WJWSI based on feedback from selected stakeholders. The remaining steps of developing WJWSI will be undertaken in the future.

**Key words** | Indonesia, sustainability index, water resources, West Java

**I. Juwana** (corresponding author)  
**N. Muttill**  
School of Engineering and Science,  
Victoria University,  
Melbourne VIC 8001,  
Australia  
E-mail: [iwan.juwana@live.vu.edu.au](mailto:iwan.juwana@live.vu.edu.au);  
[nitin.muttill@vu.edu.au](mailto:nitin.muttill@vu.edu.au)

**B. J. C. Perera**  
Faculty of Health, Engineering and Science,  
Victoria University,  
Melbourne VIC 8001,  
Australia  
E-mail: [chris.perera@vu.edu.au](mailto:chris.perera@vu.edu.au)

## INTRODUCTION

As the population in West Java increases, the demand on clean water also increases. In 2006, the combined water demand for domestic, industrial and irrigation purposes was approximately 17.5 billion m<sup>3</sup>, and is predicted to increase as much as 1% each year (Rahmat & Wangsaatmadja 2007). To supply the demand for clean water, the West Java province relies on both surface and groundwater. The availability of water during the rainy season is abundant due to high rainfall in most areas of West Java. However, this abundance of water has not been properly managed, which has resulted in water shortage in some areas during the dry season. In terms of water quality, both surface and groundwater in West Java are mostly polluted by domestic, agricultural and industrial activities. For rivers

in particular, regular monitoring by the Environmental Protection Agency of West Java shows that most water quality parameters fall below the threshold values set by provincial and national governments (Rahmat & Wangsaatmadja 2007).

The provincial and national governments have implemented some programs to improve the quality of the rivers, as well as implemented regulations to ensure that demand on quantity of water for various activities is met. However, these programs and regulations have not been able to satisfy the needs of different stakeholders. Currently, the quality of surface water is decreasing and the quantity of groundwater is depleting. It is therefore, critical to identify all factors contributing to the sustainability of these water

doi: 10.2166/wst.2010.452



resources, both surface and groundwater. A water sustainability index can be a useful tool with the following benefits:

- (i) It can be used to identify all factors contributing to the improvement of water resources (Sullivan 2002; Chaves & Alipaz 2007; Policy Research Initiative 2007), so that the resources can be used to fulfil the present and future needs.
- (ii) The index can also be used to assist decision makers to prioritise issues and programs related to water resource management.
- (iii) It will also be useful to communicate the current status of existing water resources to the wider community (Policy Research Initiative 2007).

In the recent past, three indices related to water resource sustainability have been developed. They are the Water Poverty Index (WPI) by Sullivan (2002), Canadian Water Sustainability Index (CWSI) by the Policy Research Initiative (Policy Research Initiative 2007) and the Watershed Sustainability Index (WSI) by Chaves & Alipaz (2007). Even though there have been some successful experiences with the implementation of these existing sustainability indices, they are not fully applicable in other regions or in other countries, since some of these indices have been developed for use in specific regions or countries. Therefore, a new water sustainability index, which is specifically developed with the involvement of local and national water experts and based on Indonesian natural and socio-economic characteristics, is needed to help improve the water resources management in Indonesia, particularly in West Java Province. The index will be able not only to assess the sustainability status of water resources in West Java, but also to prioritise water issues for use in integrated water resource management. This study aims at developing a water sustainability index for the West Java Province, called the West Java Water Sustainability Index (WJWSI).

To develop the WJWSI, this study aims to undertake the following steps:

- (i) Development of conceptual framework to identify an initial set of WJWSI components/indicators
- (ii) Application of Delphi technique to refine and finalise the index
- (iii) Applying the index to case studies
- (iv) Robustness analysis of the index

The identification of components/indicators will provide a conceptual framework of the WJWSI. Generally, the identification of the initial set of components/indicators is undertaken through extensive literature review (Chaves & Alipaz 2007; Policy Research Initiative 2007; Sullivan & Meigh 2007). For WJWSI, once the initial set of components/indicators is developed, it is refined through the application of Delphi technique. In the past, this technique has also been used to refine water quality indices (Cude 2001; Dinius 2007).

Delphi Technique is a method to extract opinion from experts through the distribution of a series of questionnaires, without having the experts congregate at an agreed time and place (Delbecq *et al.* 1975). Using this method, the experts are allowed to assess, modify and change components/indicators provided in the conceptual framework. The experts selected for this study were university lecturers, governmental officials, environmental consultants and water experts from non-governmental organisations, who were asked to add, modify or remove any components and/or indicators listed in the questionnaire.

The structure of WJWSI, finalised using the Delphi technique, will be applied to three case study catchments in West Java. One of the outcomes from these case studies will be the prioritisation of water resource issues for each case study. The next step, namely robustness analysis is also an important step of index development because it will analyse any assumptions used in the inputs, which might lead to variation in its outputs.

This paper, which is the first in a two-part series, discusses the development of the conceptual framework for WJWSI. Since the WJWSI is developed specifically to suit the water and related environmental, social and economic characteristics of West Java, this paper first outlines these issues. The available concepts and guidelines related to sustainability and water resources, and the existing water sustainability indices are also used as criteria for developing the conceptual framework; therefore these are discussed next. Finally, the development of the conceptual framework of WJWSI is presented with a detailed justification for the selection of various components and indicators.

The second paper of this series presents the second step in developing WJWSI, which is the application of Delphi technique through distribution of a series of questionnaires

to experts in West Java to finalise the framework of WJWSI. The remaining two steps, namely of applying the WJWSI to case studies from West Java and conducting a robustness analysis of the index has not yet been undertaken and will be done in the future. For WJWSI, robustness analysis will be undertaken based on input uncertainties, to investigate how these different input assumptions affect the outputs. By doing this, attempts will be made to significantly reduce the uncertainties associated with WJWSI in its development.

### WATER RELATED ISSUES IN WEST JAVA

The West Java province is located in the Island of Java, the island with the highest population density in Indonesia. The province occupies a total area of 44,354 km<sup>2</sup>. The average annual rainfall is 2,000 mm in most areas, and up to 5,000 mm in the mountain areas located in the central part of the province. The population growth in 2004 was approximately 2.6%, which then slightly decreased to 2.1 and 1.9% people in 2004 and 2005 respectively. In 2008, the growth had reached 5.1%, with the total population of 40.74 million and population density of 1,088.71 m<sup>2</sup> per person (Rahmat & Wangsaatmadja 2007).

As illustrated in Figure 1, housing and industry are mostly located in the upper part of the province. However, as the population increases, scattered housing has also been built in other parts of the province. The increase

demand of housing has given serious stress on the land use, which in some areas were dominated by forestry. Rahmat & Wangsaatmadja (2007) noted that the forestry area in West Java has decreased considerably in the last decade and has resulted in the decrease of groundwater levels in the area, as less rainfall infiltrates to the ground. As for water quality, the decrease in forestry will cause more erosion and increase the runoff, degrading the quality of surface water.

High level of rainfall, particularly in the central part of the province, provides abundant surface flow for the community in the rainy season. However, rapid flow fluctuations between rainy and dry seasons, combined with the lack of storage facilities, have resulted in inadequate supply to meet water demand during the dry season of the year.

The surface water quality of the majority of streams in urban areas of West Java such as in Bogor, Depok, Bandung and Cirebon are very poor, especially in the downstream sections. Most streams are highly polluted by domestic activities, and worsened by the industrial effluents. For example, polluted streamflow from the Citarum River into Saguling reservoir, one of the biggest reservoirs in West Java, has regularly caused huge fish kills and loss of other aquatic life.

Groundwater is also of very poor quality as a result of contamination from domestic and industrial activities. The groundwater sources have also been excessively exploited, indicated by the decrease of groundwater level. At this




Figure 1 | Landuse map of West Java.

stage, up to 60% of the industries in West Java rely on groundwater, especially in urban areas of Bandung, Bogor and Cirebon (Rahmat & Wangsaatmadja 2007).

## SUSTAINABILITY CONCEPTS AND EXISTING INDICES

Since various sustainability concepts and the structure of existing indices on water resources and sustainability have been taken into account in developing the conceptual framework for WJWSI, they are discussed in this section.

### Sustainability criteria

Sustainability is defined as:

“development that meets the needs of the present without compromising the ability of future generations to meet their own needs” (Brundtland 1987)

“meeting human needs while conserving the Earth’s life support systems and reducing hunger and poverty” (Palmer *et al.* 2005)

“to maximise simultaneously the biological system goals (genetic diversity, resilience, biological productivity), economic system goals (satisfaction of basic needs, enhancement of equity, increasing useful goods and services), and social system goals (cultural diversity, institutional sustainability, social justice, participation)” (Barbier 1987).


Based on those definitions, sustainability principles are developed. One of the most well-known sustainability principles is the “triple bottom line approach”, which includes environmental, economic and social aspects of sustainability (Farsari & Prastacos 2002; Ekins *et al.* 2003; Cui *et al.* 2004). These principles have been widely used to develop other sustainability frameworks in various disciplines. These principles urge all stakeholders, concerned with the sustainability of the environment, to consider at least these three aspects of sustainability. However, it was found difficult to implement these principles without any criteria to measure or monitor the progress for achieving sustainability (Farsari & Prastacos 2002).

Parkin (2000) introduced capital flow concept, which stated that any development for achieving sustainability (called sustainable development), needs to manage different capital flows in the long term. The capitals are natural, human, social, manufactured and financial. Any development proposal has to contribute to improving, or at least maintaining, these five different capitals (Parkin 2000).

Another way of measuring the sustainability is by using a set of indicators, known as sustainability indicators. One example of sustainability indicators is the work by Spangenberg & Bonniot (1998), in which they developed the indicators based on the so called “prism of sustainability” (presented in Figure 2). This prism, reflecting sustainability, has four dimensions which are described by environmental, institutional, economic and social indicators. Under the institutional dimension, participation, justice and gender balance indicators are derived. For the environmental dimension, resource use and state indicators are developed to measure the sustainability. For the social dimension, health care, housing, social security and unemployment indicators are identified. Finally for economic dimension, Gross National Product (GNP), growth rate, innovation and competitiveness indicators are used (Spangenberg & Bonniot 1998).

Apart from the indicators of individual dimensions, the prism of sustainability also offers a framework to identify the inter-linkage indicators between all dimensions. Theoretically, the inter-linkages can be two, three or even four dimensional. Here, compromises and synergies between different dimensions are sought. As illustrated in Figure 2, indicators based on two dimensional inter-linkages have been identified. Human Development Index (HDI) is an example of indicator of inter-linkage between economic and social dimensions. Distribution of access to environmental resource and transport intensity are indicators derived from the interaction of environment and social dimensions. The inter-linkage of environment and economic dimensions has resulted in indicators such as jobs, services and resource intensity of production (Spangenberg & Bonniot 1998).

In West Java, issues related to managing water resources are emphasised more on technical and environmental issues, and concerned less on other social and economic sectors (Syarif 2008). As the complexity of water



**Figure 2** | The prism of sustainability (Spangenberg & Bonniot 1998).

problems in West Java is increasing, there is a need for the integration of social, economic and environmental sectors in managing water resources in West Java.

### Water resource sustainability guidelines

The concept of sustainability has also entered the field of water resources. As issues related to water resources are becoming complex, there have been extensive studies to combine the concept of sustainability with water resource management issues. By applying the sustainability principles, it is expected that available water resources can be utilised not only by the current generation, but also by future generations. One of the principles is the integration of social, economic and environmental principles. According to this sustainability principle, water-related projects cannot be looked at in its pure technical view, omitting their social and economical concerns (Loucks & Gladwell 1999). In general, the main characteristic of water resource sustainability lies in the attitude of key stakeholders to constantly review and re-examine their approaches to address the changing problems of water resources. At all

times, in all plans and processes, key stakeholders need to strive for decisions that fulfil economic, environmental and social satisfaction, by involving all other stakeholders (Loucks & Gladwell 1999).

Loucks & Gladwell (1999) provide guidelines for water sustainability, which include the importance of water infrastructure, environmental quality, economics and finance, institutions and society, human health and welfare, as well as planning and technology. In line with those guidelines, Mays (2006) introduced seven requirements to ensure the sustainability of water resource systems. They were: basic water needs to maintain human health, minimum standard of water quality, basic water needs to maintain ecosystem health, long-term renewability of available water resources, accessible data on water resources for all parties, institutional scheme to resolve water conflict, and democratic water-related decision making.

### Existing indices on water resources and sustainability

The structure of the three existing indices of WPI, CWSI and WSI (presented in Table 1) are made up of a set of

**Table 1** | Components and Indicators of WPI, CWSI and WSI

WPI		CWSI		WSI	
Component	Indicator	Component	Indicator	Component	Indicator
Resources	Internal flows	Resource	Availability	Hydrology	Pressure
	External flows		Supply		State
	Population		Demand		Response
Access	Clean water	Ecosystem health	Stress	Environment	Pressure
	Sanitation		Quality		State
	Irrigation		Fish		Response
Capacity	Income	Infrastructure	Demand	Life	Pressure
	Mortality		Condition		State
	Education		Treatment		Response
Use	Income distribution	Human health	Access	Policy	Pressure
	Domestic		Reliability		State
	Industry & agriculture		Impact		Response
Environment	Water quality	Capacity	Financial		
	Pollution		Education		
	Regulation		Training		
	Information				
	Biodiversity				

components covering various aspects related to water resources sustainability. A component of an index, also known as a sub index (Liou *et al.* 2004), consists of one or more indicators (Swamee & Tyagi 2000). If necessary, there can be sub-indicators for each indicator. As can be seen in Table 1, the WPI has 5 components and 17 indicators, CWSI has 5 components and 15 indicators and WSI has 4 components and 12 indicators. For these three indices, the components and indicators were identified based on extensive literature reviews and stakeholder consultations at the time of their development (Chaves & Alipaz 2007; Policy Research Initiative 2007; Sullivan & Meigh 2007). The literature review had been undertaken in these studies to produce the initial structure of the index, which consists of components/indicators. For WPI, the initial structure was then brought to the stakeholder consultations or expert meetings to be discussed and finalised in a two-day workshop (Policy Research Initiative 2007). For the other two indices, detailed information on how their initial frameworks were finalised are not available.

The WPI, which attempts to seek out the relationship between poverty and water issues in different countries, has

successfully met its objectives. At the end of its development process, the index has provided a framework, which combined environmental and socio-economic measures, related to poverty and water issues. The five components of WPI are Resources, Access, Capacity, Use and Environment. At the end of its implementation, the WPI has also contributed to the national-level comparison of the status of water access and poverty across the world (Sullivan 2002).

The CWSI adopted the framework of WPI to develop a water sustainability index for Canada. Its components are Resource, Ecosystem Health, Infrastructure, Human Health and Capacity. One of the benefits of CWSI was to present relevant water-related information to the six surveyed communities of the case studies. Nevertheless, it was claimed that CWSI can also be applied in other communities, districts and watersheds in Canada (Policy Research Initiative 2007). The other benefit was to provide valuable input to water and wastewater infrastructure decisions, such as exploring water storage alternatives and operator training (Policy Research Initiative 2007).

The WSI, which attempted to integrate hydrologic, environmental, life and policy issues as their components,

has shown advantages, both in the process of its development as well as in the implementation. In the process of its development, the WSI has provided decision makers, particularly in Southern Brazil, with a clear and concise framework of water sustainability. During implementation, it has helped various stakeholders to protect remaining forest areas, improve water resources policies and minimize sewage pollution (Chaves & Alipaz 2007).

### DEVELOPING THE CONCEPTUAL FRAMEWORK OF WJWSI

Figure 3 shows the process that was followed in the development of the conceptual framework of WJWSI. As discussed in the previous section, the development of a conceptual framework was initiated by reviewing (a) sustainability criteria, (b) water resource sustainability




Figure 3 | Flowchart for the development of conceptual framework of WJWSI.

guidelines and (c) the existing water sustainability indices of WPI, CWSI and WSI.

With respect to the sustainability criteria, WJWSI attempts to cover all dimensions of the “prism of sustainability” presented earlier, namely the environment, economic, social and institution, in its components and indicators. The environmental dimension mainly deals with sustainability of natural resources and it is covered by including a component of Water Resources and its indicators in WJWSI. The economic dimension is addressed through the inclusion of indicators of finance and poverty, which fall under two different components. The other two dimensions, social and institution are mainly covered in the WJWSI by including the components of Capacity and Human Health, along with their respective indicators.

As far as water resource sustainability guidelines are concerned, general requirements include water infrastructure, environmental quality and availability, institution and human health (Loucks & Gladwell 1999; Mays 2006). The WJWSI attempts to meet the water infrastructure and institutional requirements by having Water Provision as one of its components. The next requirement, which is environmental quality and availability, is addressed by availability, quality and land use changes indicators under the component of Water Resources. And finally, to account for human health, WJWSI has a component called Human Health with three indicators, namely, access, sanitation and health impact.

The components/indicators of the three existing indices were also reviewed and included in the list of potential components and indicators of WJWSI. Then, as seen in Figure 3, a further review was undertaken to determine whether the potential components and indicators were appropriate considering water resources, environmental, social and economic characteristics of West Java. If the components or indicators were not appropriate, they were excluded from the list.

Finally, data and information for the remaining indicators (which were not excluded in the previous step) were checked. If sufficient data and information were not available to measure a particular indicator, that indicator was excluded from the list. At the end, the final list of components and indicators of WJWSI was developed for the conceptual framework. As for the threshold values of

**Table 2** | Conceptual framework of the WJWSI

Component	Indicator	Unit	Threshold values	
			Max	Min
Water resources	Availability	m <sup>3</sup> /cap/yr	1,700*	500 <sup>†</sup>
	Demand	%	40 <sup>†</sup>	0*
	Quality	–	0*	–31 <sup>†</sup>
	Landuse changes	–	1 <sup>†</sup>	0*
Water provision	Coverage	%	80*	0*
	Water loss	%	15 <sup>†</sup>	0*
	Finance	–	0 <sup>‡</sup>	0 <sup>‡</sup>
Capacity	Poverty	%	100 <sup>†</sup>	0*
	Education	%	100*	0 <sup>†</sup>
Human health	Access	%	100*	0 <sup>†</sup>
	Sanitation	%	100*	0 <sup>†</sup>
	Health impact	(cases/1,000 pop)	100 <sup>†</sup>	0*

\*Preferable.

<sup>†</sup>Not preferable and.<sup>‡</sup> > 0 preferable, <0 not preferable.

the conceptual framework, they were identified through the literature review on existing policies, guidelines and regulations.

Table 2 shows components and indicators (with their threshold values) that form the conceptual framework of the WJWSI.

The following sub-sections discuss in detail the justification for selection of various components and their indicators of the WJWSI.

### Justification for the component water resources and its indicators and threshold values

The first component, that of Water Resources, is selected based on the ultimate goal of sustainable water management, which is to have healthy water resources that can be utilised by present and future generations. Also, currently most areas in West Java face water-resource-related problems, such as inadequate water supply from public water company and extreme water conditions during the dry and rainy seasons. Thus, the inclusion of Water Resources as one of water sustainability components is

inevitable. The justification for each indicator under this component is discussed below.

### Availability

This indicator looks at how much water is available per year for each person in a particular area. Falkenmark & Rockström (2004) studied that ideally a person needs as much as 1,700 m<sup>3</sup>/year to support his or her life, with the minimum needs of 500 m<sup>3</sup>/year. This indicator can be the entry point to any policy for improving the management of water resources. An area with adequate water availability needs to manage the resources so they can be used to fulfil the demand of various activities. On the other hand, an area with low availability may need to find other sources of water. Therefore, the inclusion of this indicator is extremely important for developing a water sustainability index.

### Demand

This indicator is concerned with the amount of water used for different purposes compared to renewable water available. This will give an idea of the stress on water resources caused by the consumption of water by the community. High level of stress on water resources will have an impact on the sustainability of water resources. This indicator is necessary to assess the current situation of stress on water resources and to take appropriate action for reducing the stress in the future. In West Java, the demand on fresh water is increasing greatly due to the increase of population, which has resulted in the increase of various water-demanding activities. As initial threshold values, the Department of Economic and Social Affairs of the United Nation set the maximum of 40% available water withdrawal that will cause stress to water resources.

### Quality

Water quality is an important issue when assessing the sustainability of water resources, due to the fact that poor quality water resource cannot be used for various purposes. If poor water quality is used, social, health and economic aspects of water sustainability can also be affected. According to Wangsaatmaja (2004), water quality monitoring in three major West Java catchments shows that all rivers in

these catchments do not meet the Indonesian water quality standards. The inclusion of water quality indicator in the proposed index is also in line with guidelines for water resource sustainability by Mays (2006). As threshold values, maximum and minimum values of the Storet water quality index are used. This water quality index has been used by West Java governments to monitor the quality of water streams in West Java catchments in the last decade.

### Land use changes

Past studies had shown that changes in land use have a strong relationship with the quality of water resources. As indicated by Rahmat & Wangsaatmadja (2007), there have been considerable land use changes in West Java, which have resulted in the decrease of groundwater level. Land use that is dominated by forestry area allows rainfall to infiltrate into the ground, which then increases the groundwater levels. On the other hand, land use that is dominated by impermeable material prevents rainfall from infiltrating into the ground, increasing the runoff volume. The increase in runoff might eventually lead to more erosion and degradation of surface water quality. Thus, changes in land use will have significant contribution to the assessment of water sustainability in Indonesia. Falkenmark & Rockström (2004) believe that land use changes contribute not only to the amount of runoff, but also to the level of evaporation and rainfall in respective local areas. For threshold values, the maximum value of 1 and minimum value of 0 are used for this indicator. The maximum value of 1 reflects the maximum flow of runoff, allowing none of the rainfall to infiltrate (not preferable). On the other hand, the minimum value of 0 reflects the maximum infiltration of runoff (preferable).

### Justification for the component water provision and its indicators and threshold values

Another vital component of water sustainability management is the infrastructure. In Indonesia, issues related to water infrastructure are best explained by the performance of water service providers (WSP). For every city, water is supplied by a single public water company. This company is responsible for treatment and distribution of water to

the community in respective cities. The importance of water service provision in the overall water sustainability management has also been emphasised by many authors, such as Foxon *et al.* (2002) and Butler *et al.* (2003).

### Coverage

This indicator looks at the number of WSP customers compared to the total population. Low coverage of WSP allows non-WSP-customers to 'misuse' water resources as there is lack of government control on the individual use of available water resources, both groundwater and surface water (Rahmat & Wangsaatmadja 2007). In Indonesia, the official water service providers cover approximately 60% of the total population in their respective areas (Kirmanto 2007). As far as West Java is concerned, on average, water companies currently supply only about 40% of the total water needs of the West Java population (Syarief 2008). This means that a large percent of the population have to find alternative ways for their water supply. Ideally, water supply for 80% of the total population in a region is covered by its respective WSP (Kirmanto 2007).

### Water loss

Loss of water both in production and distribution is considered waste. The importance of using available water resources wisely, especially by reducing water loss, has been emphasised in many studies (e.g. Loucks & Gladwell 1999; Butler *et al.* 2003). Falkenmark & Rockström (2004) emphasise that the problems of water scarcity in many places throughout the world can be overcome by reducing water loss. The national government of Indonesia has set the maximum water loss of 15% for every WSP, which will also be used as threshold values for this indicator.

### Finance

This indicator concerns the profitability of WSP. It will compare the earnings of the company compared to the production cost of water. To maintain the sustainability of the water company, it has to cover all water production expenses. This indicator is included as many water companies in Indonesia complained that the water tariff is too low to cover the production cost (Kirmanto 2007).



The failure to include the willingness to pay by the society will surely affect the sustainability of water resources management. As threshold values, above zero-point balance (profit) and under zero-point balance (loss) are used.

### **Justification for the component capacity and its indicators and threshold values**

The justification for the third component, the Capacity, is based on the fact that the sustainability of water resources is not only determined by the availability of water resources, but also the affordability of the community and the ability to maintain those resources. There are cases where water resources are available and reliable, but the community cannot afford a water supply service (Sullivan 2002) or has inadequate ability to maintain the resources. The indicators of poverty and education are included under this component, which are discussed below.

#### **Poverty**

Economics is one of the sustainability principles, supported by many authors. Sullivan (2002) has clearly defined the relationship between poverty (as one aspect of economics) and water issues. She concluded that sustainability of water resources can be effectively achieved by reducing poverty within the community. BPS Team (2009) reports that as much as 13.01% of the population in West Java live under the poverty line in 2008. These people spend most of their income on food, and thus have no allocation from their income for accessing clean water. Their inability to afford legal water service leads to their resorting to illegal water connections, which in turn have caused huge water losses for the water companies. Therefore, poverty is an issue that needs to be taken into account in developing the WJWSI. As initial threshold, zero poverty as the minimum value is used (preferable) and 100% poverty as the maximum value (not preferable) is used.

#### **Education**

Education is believed to have an important role in the sustainability of water resources. Sullivan (2002) claims that there is a strong correlation between the level of education

of a community and the sustainability of its water resources management. People with a higher education level are believed to have a better water sustainability awareness, compared to those with a lower education level. With regards to formal education, in the year of 2007 only 14.05% of the West Java population have completed basic education (Bappeda Team 2008). And only recently, environmental issues are included in the curriculum of primary schools in West Java. Syarief (2008) believes that community education is one of the key factors for the successful management of water resources in West Java. As threshold values for this indicator, minimum of 0% (not preferable) and maximum of 100% (preferable) of total population completed basic education are used.

### **Justification for the component human health and its indicators and threshold values**

Human health is an important part of social principle of sustainability. Past studies have indicated the influence of human health on the sustainability of water resources (Loucks & Gladwell 1999). The importance of human health in managing water resources is also acknowledged by Loucks *et al.* (2000) and the Policy Research Initiative (2007), by the inclusion of human health as a component of their water sustainability frameworks. In West Java, poor management of water resources has resulted in the decrease in quality of health in the community. Past studies show that areas with low access to clean water suffer from high number of water-borne diseases (Wangsaatmaja 2004). The three indicators included under the component of Human Health are discussed below.

#### **Access**

This indicator looks at how much water is accessible for the community, particularly water supplied by the water company. It is believed that communities which are provided with adequate water supply will have better health quality compared to those with inadequate water supply. This indicator also looks at how much water is provided by the company, as the only authorised water service provider, compared to the actual need of the community. Since water companies in West Java are not able to meet the water

needs of the population, some people are forced to live with inadequate water supply, while others draw the groundwater without appropriate consideration of the sustainability of the groundwater sources. Thus, accessibility to water is included as an indicator under the component of Human Health. The threshold values used for this indicator are 0% (not preferable) and 100% (preferable) for minimum and maximum values respectively.

### Sanitation

This indicator is concerned with number of people who have basic sanitation facilities. In Indonesia, people with no basic sanitation facilities use a river to discharge wastewater, as well as other wastes, from their houses, which then leads to deterioration of river water quality. This is also happening in West Java, which is one of the most populated provinces in Indonesia. Recent studies by the West Java Environmental Protection Agency show that the river quality in three major West Java catchments fail to meet the minimum quality requirements (Badan Pengendalian Lingkungan Hidup Daerah Jabar 2008). Therefore, the inclusion of sanitation as an indicator of water sustainability is highly important. At this stage, no specific threshold values are available for sanitation indicator, therefore 0% (not preferable) and 100% (preferable) for minimum and maximum values are used respectively.

### Health impact

This indicator looks at the number of cases affected by water-borne diseases in the community. In the past, insufficient water supply has caused some health issues in the communities (Sullivan 2002). In West Java, water-borne disease cases are very common, both in urban and suburban areas. In urban areas, the diseases are mostly caused by the poor quality of water consumed for everyday life by the poor people. For these people, consuming poor quality water is the only option as they cannot afford well-treated water from the water company. In suburban areas, the diseases are mostly caused by the lack of awareness about basic healthy and hygienic behaviour. It is widely accepted that as the community is the main actor of sustainable development, the decrease of human health will affect

the efforts of achieving sustainability of water resources. In this early stage, 100 water-borne diseases per 1,000 population is used as the maximum threshold value (not preferable) and 0 cases per 1,000 population as the minimum threshold value (preferable).

### SUMMARY

This paper is the first in the series of two papers on developing a water sustainability index for West Java, called the West Java Water Sustainability Index (WJWSI). The paper discusses the first step in developing the WJWSI, which is the identification of components and indicators in the conceptual framework. Various components and indicators have been included in the conceptual framework taking into account the major water and related issues in West Java, available concepts and guidelines related to sustainability (i.e. triple bottom line approach and prism of sustainability) and also on the structure of existing water sustainability indices. Based on these criteria, a detailed justification for selecting each component and indicator within the conceptual framework of WJWSI is also presented in this paper. The second paper of this series presents the application of Delphi technique through the distribution of a series of questionnaires to experts in West Java to refine and finalise the framework of WJWSI.

### ACKNOWLEDGEMENTS

The authors would like to acknowledge and thank the AusAid Australia, which funded the scholarship provided to the first author. Thanks are also due to the Editor and two anonymous reviewers who provided valuable comments for the improvement of this manuscript

### REFERENCES

- Badan Pengendalian Lingkungan Hidup Daerah Jabar 2008 Era prokasi Jawa Barat (West Java clean river program). <http://www.bplhdjabar.go.id/emplibrary/buletin-akhir.doc> (accessed 7 February 2008).
- Bappeda Team 2008 Profil Jawa Barat: Pendidikan (Profile of West Java: Education), Badan Perencanaan dan Pembangunan Daerah Jawa Barat, Bandung.

- Barbier, E. B. 1987 The concept of sustainable economic development. *Environ. Conserv. (Suiza)* **14**(2), 101–110.
- BPS Team 2009 Annual BPS Report: Poverty, Badan Pusat Statistika Jawa Barat, Bandung.
- Brundtland, G. H. 1987 *Our Common Future/World Commission on Environment and Development*. Oxford University Press, Oxford.
- Butler, D., Jowitt, P., Ashley, R., Blackwood, D., Davies, J., Oltean-Dumbrava, C., McIlkenny, G., Foxon, T., Gilmour, D. & Smith, H. 2003 Sward: decision support processes for the UK water industry. *Manage. Environ. Qual.* **14**(4), 444–459.
- Chaves, H. M. L. & Alipaz, S. 2007 An integrated indicator based on basin hydrology, environment, life, and policy: the watershed sustainability index. *Water Resour. Manage.* **21**(5), 883–895.
- Cude, C. G. 2001 Oregon water quality index: a tool for evaluating water quality management effectiveness. *J. Am. Water Resour. Assoc.* **37**(1), 125–138.
- Cui, Y., Hens, L., Zhu, Y. & Zhao, J. 2004 Environmental sustainability index of Shandong province China. *Int. J. Sustain. Dev. World Ecol.* **11**(3), 227–233.
- Delbecq, A. L., Ven, A. H. V. d. & Gustafon, D. H. 1975 *Group Techniques for Program Planning: a Guide to Nominal Group and Delphi Processes*, Glenview, Illinois.
- Dinius, S. H. 2007 Design of an index of water quality. *JAWRA J. Am. Water Resour. Assoc.* **23**(5), 833–843.
- Ekins, P., Simon, S., Deutsch, L., Folke, C. & De Groot, R. 2003 A framework for the practical application of the concepts of critical natural capital and strong sustainability. *Ecol. Econ.* **42**(2–3), 165–185.
- Falkenmark, M. & Rockström, J. 2004 *Balancing Water for Humans and Nature: the New Approach in Ecohydrology*. Earthscan, London.
- Farsari, Y. & Prastacos, P. 2002 Sustainable Development Indicators: An Overview. *International Conference on Citizens, Sustainable Development, Environment, April 3–4 2002*. Foundation for Mediterranean Cooperation, Athens, Greece.
- Foxon, T. J., McIlkenny, G., Gilmour, G., Oltean-Dumbrava, C., Souter, N., Ashley, R., Butler, D., Pearson, P., Jowitt, P. & Moir, J. 2002 Sustainability criteria for decision support in the UK water industry. *J. Environ. Plan. Manage.* **45**(2), 285–301.
- Kirmanto, D. 2007 *Mekanisme Pengembangan Sistem Penyediaan Air Minum (Development Mechanism of Water Supply System)*, Jakarta.
- Liou, S. M., Lo, S. L. & Wang, S. H. 2004 A generalized water quality index for Taiwan. *Environ. Monit. Assess.* **96**(1), 35–52.
- Loucks, D. P. & Gladwell, J. S. 1999 *Sustainability Criteria for Water Resource Systems*. Cambridge University Press, Cambridge.
- Loucks, D. P., Stakhiv, E. Z. & Martin, L. R. 2000 Sustainable water resources management. *J. Water Resour. Plan. Manage.* **126**(2), 43–47.
- Mays, L. W. 2006 *Water Resources Sustainability*. McGraw-Hill Professional, New York.
- Palmer, M. A., Bernhardt, E. S., Chornesky, E. A., Collins, S. L., Dobson, A. P., Duke, C. S., Gold, B. D., Jacobson, R. B., Kingsland, S. E. & Kranz, R. H. 2005 Ecological science and sustainability for the 21st century. *Front. Ecol. Environ.* **3**(1), 4–11.
- Parkin, S. 2000 Sustainable development: The concept and the practical challenge, Thomas Telford-ICE Virtual Library.
- Policy Research Initiative 2007 Canadian water sustainability index. [http://policyresearch.gc.ca/doclib/SD\\_PR\\_CWSI\\_web\\_e.pdf](http://policyresearch.gc.ca/doclib/SD_PR_CWSI_web_e.pdf) (accessed 5 July 2007).
- Rahmat, A. & Wangsaatmadja, S. 2007 Laporan status lingkungan hidup tahun 2007 (Annual State of Environmental Report 2007), West Java Environmental Protection Agency, Bandung, Indonesia.
- Spangenberg, J. H. & Bonniot, O. 1998 *Sustainability Indicators—A Compass on the Road Towards Sustainability*. Wuppertal Institute, Dortmund.
- Sullivan, C. 2002 Calculating a water poverty index. *World Dev.* **30**(7), 1195–1210.
- Sullivan, C. A. & Meigh, J. 2007 Integration of the biophysical and social sciences using an indicator approach: addressing water problems at different scales. *Water Resour. Manage.* **21**(1), 111–128.
- Swamee, P. K. & Tyagi, A. 2000 Describing water quality with aggregate index. *J. Environ. Eng.* **126**(5), 451–455.
- Syarief, R. 2008 Pengelolaan sumber daya air (water resources management). [http://repository.gunadarma.ac.id:8000/97/1/hal\\_44\\_sd\\_56\\_pengelolaan\\_sumber\\_daya\\_air\\_roestam.pdf](http://repository.gunadarma.ac.id:8000/97/1/hal_44_sd_56_pengelolaan_sumber_daya_air_roestam.pdf) (accessed 5 March 2008).
- Wangsaatmaja, S. 2004 Dampak konversi lahan terhadap rezim aliran air permukaan serta kesehatan lingkungan (the effects of land conversion on river regime and environmental health), Doctoral thesis, Bandung Institute of Technology, Bandung, Indonesia.