

# E3S Web of Conferences

## Proceedings



By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

**edp sciences** Journals Books Conferences

 EDPS Account



**E3S** Web of Conferences

All issues Series  
Forthcoming About

 Search  Menu

[All issues](#) ▶ Volume 76 (2019)

[◀ Previous issue](#)

Table of Contents

[Next issue ▶](#)

Free Access to the whole issue

## E3S Web of Conferences

Volume 76 (2019)

### The 4<sup>th</sup> International Conference on Science and Technology (ICST 2018)

Yogyakarta, Indonesia, August 7-8, 2018

A. Cardenas Tristan, J. Tetuko Sri Sumantyo, E. Haryono, R. Fitria Putri, D. Rahmawati Hizbaro and E. Wulanmei (Eds.)

Export the citation of the selected articles [Export](#)

[Select all](#)

Open Access

Statement of Peer review

Published online: 15 January 2019

PDF (91.4 KB)

By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

✓ [Hydrology](#)

✓ [Human Geography](#)

✓ [Disaster Mitigation & Management](#)

Open Access

Preface 00001

A. Cardenas Tristan, J. Tetuko Sri Sumantyo, E. Haryono, R. Fitria Putri, D. Rahmawati Hizbaro and E. Wulanmei

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197600001>

PDF (154.2 KB) | [NASA ADS Abstract Service](#)

Open Access

Opening Address 00002

I. Wayan Mustika

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197600002>

PDF (226.2 KB) | [NASA ADS Abstract Service](#)

## - *Geomaritime*

Open Access

Spatial analysis of coral reefs and its degradation patterns in Bunaken National Park 01001

Nafil Rabbani Attamimi and Ratna Saraswati

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197601001>

PDF (684.3 KB) | [References](#) | [NASA ADS Abstract Service](#)

## - *Hydrology*

Open Access

Bismuth/hydroxyapatite-modified carbon screen-printed electrode for heavy-metal ion detection in aqueous media 02001

Aamir Amanat Ali Khan, Huma Ajab, Asim Yaqub and Mohd Azmuddin Abdullah

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197602001>

PDF (1005 KB) | [References](#) | [NASA ADS Abstract Service](#)

By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks: [More information and setup](#)

---

retention pond 02002

Niesa Hanum Mistoro and Sri Puji Saraswati

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197602002>

[PDF \(1.063 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Water quality and sustainability of Merdada Lake, Dieng, Indonesia 02003

Sudarmadji, Slamet Suprayogi, Sri Lestari and Mukhamad Ngainul Malawani

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197602003>

[PDF \(816.0 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Macroinvertebrate benthic community as rapid quality assessment in Winongo, Code, and Gajahwong Streams inside Yogyakarta City, Special Region of Yogyakarta Province 02004

Suwarno Hadisusanto, Dwindi Mariska Putri, Puguh Sujarta, Raditia Nugraha, Qisti Fauziyah, Riska Putri Asmawati, Annisa Mawarni, Firda Nabila Nur Azizah and Muhammad Rifqi

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197602004>

[PDF \(1.096 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Spatial distribution of dominant ions in the groundwater in Banyumudal Groundwater Basin, Central Java, Indonesia 02005

Setyawan Purnama

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197602005>

[PDF \(488.3 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

The hydrogeological mapping of the southwestern part of Serang Regency, Banten, Indonesia 02006

Ahmad Cahyadi, Romza Fauzan Agniy, Nurul Khakhim, Setyawan Purnama, Igor Yoga Bachtiar and Wikan Jaya Prihartanto

By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

[PDF \(590.7 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Hydrograph modeling with rational modified method 02007

Mega Yulisetya Widasmara, Pramono Hadi and Nugroho Christanto

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197602007>

[PDF \(2.030 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Clay mineralogy of landslide occurrences in hydrothermally altered area: A case study of Durensari Area, Purworejo, Central Java 02008

Ilham Dharmawan Putra, Anastasia Dewi Titisari and Hitznaiti Zaidini Khul Husna

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197602008>

[PDF \(7.422 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

## ***- Disaster Mitigation & Management***

Open Access

The improvement of solidwaste management in Cibodas Botanical Garden through environmental economic valuation using the travel cost method 03001

Iwan Juwana and Muhammad Sirdar Albar

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603001>

[PDF \(530.4 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Flood insurance rate map for non-structural mitigation 03002

Rasyikin Roslan, Rohayu Che Omar, M. Hara, B. Solemon and I.N.Z Baharuddin

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603002>

[PDF \(694.6 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

Puspita Dian Maghfira and Sintia Windhi Niasari

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603003>

[PDF \(1.183 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Landuse change monitoring and population density analysis of Penjaringan, Cengkareng, and Cakung Urban Area in Jakarta Province 03004

Ratih Fitria Putri, Sunu Wibirama, Sri Rum Giyarsih, Aditya Pradana and Yanti Kusmiati

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603004>

[PDF \(705.6 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Kite Aerial Photography (KAP) for rip current identification in Parangtritis Beach 03005

Barandi Sapta Widartono, Muchsin Nur Wachid, Deha Agus Umarhadi, Anggini Nur Azizah and Restu Dwi Cahyo

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603005>

[PDF \(1.496 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Multi-channel analysis of surface wave method for geotechnical site characterization in Yogyakarta, Indonesia 03006

Nwai Le Ngal, Subagyo Pramumijoyo, Iman Satyarno, Kirbani Sri Brotopuspito, Junji Kiyono and Eddy Hartantyo

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603006>

[PDF \(8.477 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Optimization of operational techniques in waste management case study: Lhokseumawe City 03007

Ade Widya Isharyati, Agus Prasetya and Rochim Bakti Cahyono

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603007>

By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

---

Open Access

Seismic microzonation based on microseismic data and damage distribution of 2006 Yogyakarta Earthquake 03008

Radhitya Perdhana and Budi Eka Nurcahya

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603008>

[PDF \(12.77 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Comparative analysis of disaster information website based on web usability evaluation and quality content of disaster information 03009

Indra Agus Riyanto, Ratri Abdatush Sholihah and Ahmad Cahyadi

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603009>

[PDF \(306.1 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Tsunami hazard mapping and loss estimation using geographic information system in Drini Beach, Gunungkidul Coastal Area, Yogyakarta, Indonesia 03010

Muh Aris Marfai, Sunarto, Nurul Khakim, Hendy Fatchurohman, Ahmad Cahyadi, Yunus Aris Wibowo and Fredi Satya Candra Rosaji

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603010>

[PDF \(1.117 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Accident risk management strategy at un-signalized intersection 03011

Don Gaspar Noesaku da Costa, Siti Malkhamah and Latif Budi Suparma

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197603011>

[PDF \(437.9 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Modeling (Im) mobility: the decision to stay in disaster prone area amongs fishermen community in Semarang 03012

Choirul Amin, Sukamdi and Rijanta

By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

[PDF \(446.1 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

## - *Geomorphology & Atmospheric Science*

Open Access

Analysis of Java Island's ozone layer and ultra violet index variability based on satellite data 04001

Ninong Komala

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604001>

[PDF \(553.6 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

The tropopause height analysis in equatorial region through the GPS-RO 04002

Rohaniza Mohd Zali and J S Mandeep

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604002>

[PDF \(284.0 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

The impact of climate variability on tobacco productivity over Temanggung Regency, Indonesia 04003

Andi Syahid Muttaqin, Utia Suarma, Emilya Nurjani, Faricha Kurniadhini, Ratna Prabaningrum and Retno Wulandari

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604003>

[PDF \(439.1 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

The sustainability of rainwater harvesting for supplying domestic water demand in Yogyakarta City 04004

Basyar I. Arijuddin, Ig. L. Setyawan Purnama and Emilya Nurjani

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604004>

[PDF \(1.001 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access



By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

Danardono Danardono, Eko Haryono and Margareta Widyastuti

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604005>

[PDF \(1.241 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Design of coal mine drainage system 04006

Waterman Sulistyana Bargawa, Agus Panca Adi Suchahyo and Hesti Farra Andiani

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604006>

[PDF \(1.152 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Sand transport characterization on the foredune area of Parangtritis, Indonesia 04007

Mukhamad Ngainul Malawani, Djati Mardiatno and Sunarto

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604007>

[PDF \(4.072 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Relation of lineaments and volcano-stratigraphy of tertiary volcanic rocks in Kulon Progo Mountains Area, Yogyakarta-Indonesia 04008

Asmoro Widagdo, Subagyo Pramumjoyo and Agung Harijoko

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604008>

[PDF \(7.857 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Petrogenesis and depositional environment of paleozoic Sedili and Pengerang Volcaniclastics in East Johor Basin, Peninsular Malaysia 04009

Sugeng Supto Surjono, Mohd. Shafeea Leman, Che Aziz Ali, Kamal Roslan Mohamed and Fathan Hanifi Mada M

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604009>

[PDF \(12.98 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

---

The development of cave passage in Donomulyo, Malang-Indonesia 04010

Mohammad Ainul Labib, Eko Haryono and Sunarto

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197604010>

[PDF \(3.216 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

## - Human Geography

Open Access

Value change analysis of batik woodcraft in Krebet Tourism Village 05001

Dyah Widiyastuti, Heni Ermawati and Lilik Andriyani

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197605001>

[PDF \(267.5 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Nett Present Value (NPV) analysis for projection of feasibility of Coastal Sand Dune Tourism in Parangtritis Village 05002

Dicky Satria Dwiputra, Yan Abdi Rahmanu, Atikarosa Sih Tofani, Muhammad Naufal, Khansa

Sitostatufana Arsy An Nisa, Jundi Muhammad Bariq and Ratih Fitria Putri

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197605002>

[PDF \(455.6 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Temporal-spatial analysis in accordance with gender development index on the improvement of the quality of women in Central Kalimantan Province 05003

Ari Yulianto, Prameswari Budi Kusumaningrum, Alviyah Daniati, Shinta Nurvitasari and Ratih Fitria Putri

Published online: 15 January 2019

DOI: <https://doi.org/10.1051/e3sconf/20197605003>

[PDF \(3.631 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

---

Open Access

Thermal comfort and settlements quality for eco-settlement based management in Yogyakarta 05004

Djaka Marwasta and Muhamad Nurhidayat

Published online: 15 January 2019

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

---

OK

---

## E3S Web of Conferences

eISSN: 2267-1242



[Mentions légales](#)

[Contacts](#)

[Privacy policy](#)

*A Vision4Press website*

About the journal ▶ Editorial board

### About the journal

[Aims and scope](#)[Editorial board](#)[Indexed in](#)[Publishing Policies & Ethics](#)[Published by](#)

## Editorial board

---

### Rachid Bennacer

École Normale Supérieure, Cachan, France

[website](#)

### Chérifa Boukacem-Zeghmouri

Université Claude Bernard Lyon 1, Villeurbanne, France

[website](#)

### Vladimir Buzek

Slovak Academy of Sciences, Bratislava, Slovakia

[website](#)

**Heidi Gautschi**

Haute Ecole Pédagogique de Lausanne, Switzerland

**Jamshed Iqbal**

University of Hull, United Kingdom

[website](#)

**Paulo Limão-Vieira**

Universidade NOVA de Lisboa, Portugal

[website](#)

**Maria S. Madjarska**

Max Planck Institute for Solar System Research, Germany

**Thierry Maré**

Ambassade de France en Indonésie, Jakarta

Université de Rennes 1 /IUT Saint Malo, France

[website](#)

**Nigel Mason**

University of Kent, Canterbury, United Kingdom

**Biswajeet Pradhan**

University of Technology Sydney, Australia

[website](#)

**Jun Sun**

Tianjin University of Science and Technology, P.R. China

[website](#)

**Ming-Jun Zhang**

DGUT-CNAM Institute, Dongguan University of Technology, Guangdong Province, P.R. China

[website](#)

**Zhien Zhang**

West Virginia University, Morgantown, West Virginia, USA

E3S Web of Conferences

eISSN: 2267-1242



[Mentions légales](#)

[Contacts](#)

[Privacy policy](#)

*A Vision4Press website*

also developed by scimago:



SCIMAGO INSTITUTIONS RANKINGS

SJR

Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name



Home

Journal Rankings

Country Rankings

Viz Tools

Help

About Us



**Intl. J of Distrib.  
Sens. Net**

Hindawi

## IOP Conference Series: Earth and Environmental Science

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
<p><a href="#">United Kingdom</a></p> <div style="background-color: #333; color: white; padding: 5px; display: flex; align-items: center;"> <p style="font-size: 0.8em; margin: 0;">Universities and research institutions in United Kingdom</p> </div>	<p><a href="#">Earth and Planetary Sciences</a></p> <ul style="list-style-type: none"> <li><a href="#">Earth and Planetary Sciences (miscellaneous)</a></li> <li><a href="#">Environmental Science</a></li> <ul style="list-style-type: none"> <li><a href="#">Environmental Science (miscellaneous)</a></li> </ul> <li><a href="#">Physics and Astronomy</a></li> <ul style="list-style-type: none"> <li><a href="#">Physics and Astronomy (miscellaneous)</a></li> </ul> </ul>	<p>IOP Publishing Ltd.</p>	34
PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
<p>Conferences and Proceedings</p>	<p>17551307, 17551315</p>	<p>2010-2021</p>	<p><a href="#">Homepage</a></p> <p><a href="#">How to publish in this journal</a></p>




### Intl. J of Distrib. Sens. Net

International Journal of Distributed Sensor Networks is an Open Access Journal. [Submit Now](#)






#### SCOPE

The open access IOP Conference Series: Earth and Environmental Science (EES) provides a fast, versatile and cost-effective proceedings publication service.

 Join the conversation about this journal

● SJR	● Total Documents





**IOP Conference Series: Earth and Environmental...**

Not yet assigned quartile

**SJR 2021**  
0.2

powered by scimagojr.com

← Show this widget in your own website


Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com" style="color: #0070C0; text-decoration: none;">

```

### SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool.**



Metrics based on Scopus® data as of April 2022



**Abdel Moktader Abdel Aziz El-Sayed** 3 weeks ago

Nahla A. El Sayed and El sayed Abdel Moktader A. 2021 IOP Conf. Ser.: Earth Environ. Sci. 906 012004

Is this scopus or not, and what is the impact factor of this magazine?

← reply



**Melanie Ortiz** 3 weeks ago

SCImago Team

Dear Abdel, thank you very much for your comment. SCImago Journal and Country Rank uses Scopus data, our impact indicator is the SJR. We suggest you consult the Journal Citation Report for other indicators (like Impact Factor) with a Web of Science data source. Best Regards, SCImago Team



**NAJI** 7 months ago

Hello Dear

I participated as a corresponding author in IOP conf .series: Earth and Environment Science 877(2021)012046

I want do this IOP still in Scopus ???

kind regards

← reply



**Melanie Ortiz** 7 months ago

SCImago Team

Dear Naji, thank you very much for your comment. We suggest you consult the Scopus database directly. Keep in mind that the SJR is a static image (the update is made one time per year) of a database (Scopus) which is changing every day.

The Scopus' update list can also be consulted here:

<https://www.elsevier.com/solutions/scopus/how-scopus-works/content>

Best Regards, SCImago Team



**Alharia Dinata** 2 years ago

IOP Conference Series: Earth and Environmental Science - Volume 708 is not available in Scopus.

← reply



**Melanie Ortiz** 2 years ago

SCImago Team

Dear Alharia,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support:

[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/)

Best Regards, SCImago Team



**Vani** 2 years ago

good evening, whether this journal is Q4 or Q2 ?

← reply



**Melanie Ortiz** 2 years ago

SCImago Team

Dear Vani,  
Thank you for contacting us.  
As said below, we calculate the SJR data for all the publication's types, but the Quartile's data are only calculated for Journals and Book Series.  
Best regards, SCImago Team



**FEROSKHAN M** 2 years ago

IOP Conference Series: Earth and Environmental Science - Volume 573 is not available in Scopus. But later volumes are available. May I know when will they publish in Scopus?

← reply



**Melanie Ortiz** 2 years ago

SCImago Team

Dear Sir/Madam,  
thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support:  
[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/)  
Best Regards, SCImago Team



**Natt** 2 years ago

I would like to know the quartile of this journal. Why isn't it showing on the website?

← reply



**Melanie Ortiz** 2 years ago

SCImago Team

Dear Natt,  
Thank you for contacting us. We calculate the SJR data for all the publication's types, but the Quartile's data are only calculated for Journals and Book Series.  
Best regards, SCImago Team



**Nurgustaana** 3 years ago

Dear SCImago Team!

I want to know previous quartiles of journal (for 2018 and 2019 years). I have tried find information about a quartile, but discovered just SJR for 2018. Could you please provide information about it?

Yours sincerely, Nurgustaana

← reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Nurgustaana,

Thank you for contacting us. We calculate the SJR data for all the publication types, but the Quartile data are only calculated for Journal type's publications. Best regards,  
SCImago Team



**Mora** 3 years ago

hello, how to search one of journal who published by IOP, because when i find it by the title, they are not able in scimagojr but the publisher is available in here, thank you for the respond it means a lot

← reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Mora,

thank you for contacting us. Could you provide us the Title of the journal? We remember that SCImago Journal & Country Rank shows all the information have been provided by Scopus. If you didn't localize the journal in the search engine, it means that Scopus / Elsevier has not provided us the corresponding data.

Best Regards, SCImago Team



**Dr. Yousif** 3 years ago

Dear Sir,

I have published a paper in Earth and Environmental Science Journal (only myself, single author) I am trying to withdraw it after 28 days of publishing online, is it possible? Could you please tell me the procedure of withdrawing a paper?

Thank you,

← reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Yousif,  
thank you for contacting us.  
We are sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.  
Unfortunately, we cannot help you with your request, we suggest you to contact the journal's editorial staff , so they could inform you more deeply. Best Regards, SCImago Team



**Agustinus Kastanya** 3 years ago

need information about renking of the Journal on Scopus

← reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Agustinus, thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you to consult the Scopus database directly. Remember that the SJR is a static image of a database (Scopus) which is changing every day. Best regards, SCImago Team



**Mahipal** 3 years ago

Dear Admin,

How could our journal include in your IOP?

← reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Mahipal,  
thank you for contacting us.  
We suggest you to contact the IOP's editorial staff , so they could inform you more deeply.  
If you would like to make an application to Scopus, please contact them to help you with this issue here: <https://www.elsevier.com/solutions/scopus/content/content-policy-and-selection>  
<http://suggestor.step.scopus.com/suggestTitle/step1.cfm>  
Best Regards, SCImago Team



**Mursalin** 3 years ago

Dear SCImago Team

My name is mursalin from Jambi City, Indonesia. I have published my article titled The Effect of Temperature on MDAG Purification Using Creaming Demulsification Technique at the IOP Conference Series: Earth and Environmental Science, Volume 309, conference 1 and could be accessed at: <https://iopscience.iop.org/article/10.1088/1755-1315/309/1/012068>. But why until now it does not appear into Google Scholar and my account.

Please help me to resolve the issue. Thank you for your kindness. I am waiting for good news from you.

Sincerelly,  
Mursalin

← reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Mursalin,

Thank you for contacting us. Unfortunately, we can not help you with your request. Maybe other users can help you. Best Regards, SCImago Team



**Танзиля Созаева** 3 years ago

Доброго времени суток! Интересует информация по квартилю журнала (издания)

← reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear user, thank you very much for your request. You can consult that information in SJR website. Best Regards, SCImago Team



**syaiful** 4 years ago

I am very interested to send my paper to this conference

best regards

syaiful

← reply



**Elena Corera** 4 years ago

SCImago Team

Dear user, in the link below you will find the information corresponding to the author's instructions of this journal. Best regards, SCImago Team

<https://publishingsupport.iopscience.iop.org/author-guidelines-for-conference-proceedings/>

**Leave a comment**

Name

Email

(will not be published)



I'm not a robot

reCAPTCHA  
Privacy - Terms

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.



Developed by:

Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS

Horatio (Satire 1, 1, 106)

[Edit Cookie Consent](#)

# The improvement of solidwaste management in Cibodas Botanical Garden through environmental economic valuation using the travel cost method

[PDF] from e3s-conferences.org

Authors Iwan Juwana, Muhammad Sirdar Albar

Publication date 2019

Journal E3S Web of Conferences

Volume 76

Pages 03001

Publisher EDP Sciences

**Description** Cibodas Botanical Garden (CBG) is believed to have high environmental value for its function as conservation area and beautiful scenery. However, prior to this research, there is lack of economic valuation to determine the total value of CBG, including its environment. The local government, on the other hand, needs such environmental economic valuation to execute better decisions related to the CBG. This study aims at providing the mostly-needed economic valuation through the application of Travel Cost Method. The Travel Cost Method (TCM) is a method to calculate the economic value of products or services that do not own market value. This method utilises total cost of consumers who travel to certain places, preferably tourist destinations. The cost spent by consumers are considered as their willingness to pay (WTP) for the visited destination(s). In this study, TCM is used by preparing questionnaires for ...

**Scholar articles** [The improvement of solidwaste management in Cibodas Botanical Garden through environmental economic valuation using the travel cost method](#)  
I Juwana, MS Albar - E3S Web of Conferences, 2019  
[Related articles](#) [All 3 versions](#)



## Freedom of Information

Palm Oil Is Life New  
Episode:  
ForFreeChoice Institute



## E3S Web of Conferences

<b>Country</b>	France -  SIR Ranking of France
<b>Subject Area and Category</b>	<a href="#">Earth and Planetary Sciences</a> <a href="#">Earth and Planetary Sciences (miscellaneous)</a>  <a href="#">Energy</a> <a href="#">Energy (miscellaneous)</a>  <a href="#">Environmental Science</a> <a href="#">Environmental Science (miscellaneous)</a>
<b>Publisher</b>	
<b>Publication type</b>	Conferences and Proceedings
<b>ISSN</b>	00002013

# 12

H Index

# The improvement of solidwaste management in Cibodas Botanical Garden through environmental economic valuation using the travel cost method

Iwan Juwana<sup>1,\*</sup> and Muhammad Sirdar Albar<sup>1</sup>

<sup>1</sup>Institut Teknologi Nasional Bandung, Department of Environmental Engineering, PHH Mustafa 23 Bandung, Indonesia

**Abstract.** Cibodas Botanical Garden (CBG) is believed to have high environmental value for its function as conservation area and beautiful scenery. However, prior to this research, there is lack of economic valuation to determine the total value of CBG, including its environment. The local government, on the other hand, needs such environmental economic valuation to execute better decisions related to the CBG. This study aims at providing the mostly-needed economic valuation through the application of Travel Cost Method. The Travel Cost Method (TCM) is a method to calculate the economic value of products or services that do not own market value. This method utilises total cost of consumers who travel to certain places, preferably tourist destinations. The cost spent by consumers are considered as their willingness to pay (WTP) for the visited destination(s). In this study, TCM is used by preparing questionnaires for Cibodas visitors, analysing the results of the questionnaires, calculating the total economic value (TEV) of Cibodas, determining the consumer surplus, and proposing environmental programs at CBG. At the end, it was calculated that the TEV of Cibodas Botanical Garden is IDR113,072,532,700 with average WTP of the visitors IDR202,484 per visitor and the consumer surplus of IDR32,344 per visitor. Also, this study reveals that solid waste management improvement at CBG can be funded by potential income from the consumer surplus.

## 1 Introduction

Tourist destinations have been included in nearly everyone's plan during holiday periods. Indonesia is bestowed with abundant natural resources, some of them have become tourist attractions. One of the globally known tourist natural destinations is the Cibodas Botanical Garden [1–3].

The Cibodas Botanical Garden (CBG) is located in the area of Gunung Gede Pangrango National Park, Cianjur Regency. The 125 ha garden initially served as an acclimatisation of vegetation imported from other countries, particularly vegetation with rich in value and have high economic value [4–6]. However, since the year 2003 the CBG has been defined as both conservation and tourist area. Since then, offering the beautiful view and affordable entrance fee, the CBG has become a holiday destination for local and foreign tourists.

Due to one of its functions as conservation area of Cianjur region, along with its fresh air and beautiful view, it is by no surprise that the place has attracted growing visitors each year. Unfortunately, environmental values of the CBG are often neglected during decision making related to the area due to the lack of information of such environmental values [1–3, 7]. Therefore, a study to quantify the values of environmental issues of CBG is of utmost important.


This study aims at quantifying economic values of the environmental aspects of CBG, using the travel cost method (TCM) [8–11]. With this method, the willingness to pay of visitors is obtained from the total expenditure of visitors visiting CBG. In its application, this method allows researchers to calculate economic surplus of selected respondents. This consumer surplus can also be used to assist not only local government, but also the CBG manager, to improve the management of CBG in the future. The information on the consumer surplus will allow CBG manager to explore possibilities of improving CBG using the potential income from the consumers.

## 2 Methods

In general, the steps undertaken in this study are shown in Figure 1. The figure shows that the economic valuation study of the CBG is initiated by literature review. The review of literature is an important step in this study as it provides information on current conditions related to the study. When undertaking this economic valuation study, it is inevitable to explore past studies on economic valuation of environmental services in other places. Also, it is highly beneficial to compare available methods for various environmental products and services valuation and how the methods are applied in different situations. This can only be done through sound literature review. In order to expand the benefits,

\* Corresponding author: [juwana@itenas.ac.id](mailto:juwana@itenas.ac.id)

the review of existing literatures in this study was undertaken for both national and international contexts. This way, the review provides the state of the art of similar studies holistically.



**Fig. 1.** Steps for the environmental valuation study of Cibodas National Park.

The literature review was then followed by the next step namely the variable selection for this study. The selection of variables is required to, later, analyse factors affecting the willingness to pay of respondents in this study. Basically, the variables were selected from past studies similar to this study. Some other literatures, such as books and government regulations, to enrich the variables in this study, were also used. At the end of this step, identified variables were gender, age, occupation, income, number of visit, distance to location, type of transport, and education level. In general, these variables are assumed to affect the willingness to pay of visitors visiting the Cibodas Botanical Garden. Based on these variables, a questionnaire was then designed and tested.

The next step was to collect necessary data, both primary and secondary ones. Primary data was obtained from the field observation and distribution of questionnaires to CBG visitors. The number of respondents was defined using Slovin formula with 8 % error. The secondary data was taken from related institutions, such as Cultural and Tourism Agency of Cianjur Regency and CBG Management.

After all required data were collected, the study was followed by data calculation and analysis. The analysis included both the descriptive analysis and the travel cost analysis. The descriptive analysis offers individual phenomenon, such as socio-economic characteristics, of the selected respondents. This analysis was undertaken to support the valuation questions given to the respondents [12]. Then, the travel cost analysis was undertaken to obtain the value of respondents' willingness to pay related to CBD. The travel cost analysis for this study is done through the following:

1. Identification of the recreation area (environment-based tourist attraction) as a case study.
2. Distribution of questionnaires to collect data from respondents on their expenditures to the location, number of visits, and others.
3. Undertake willingness to pay (WTP) calculation, which includes individual WTP and summation

of WTP to be considered as total economic value of the location.

4. Drawing a demand curve based on respondent's answers during the questionnaire distribution, and followed by calculating its consumer surplus.

### 3 Results and discussions

#### 3.1. Number of respondents

The number of respondents to be given the questionnaires was based on the Slovin Formula with error margin of 8 %. As the total visitors of CBG is 558,427 per year (data of 2016), the number of respondents in this study is calculated as:

$$n(8\%) = \frac{N}{1+N(e)^2} \quad (1)$$

$$= \frac{558,427}{1 + 558,427 (0.08)^2} = 156 \text{ respondents}$$

Sugiyono [13–16] stated that Slovin formula allows the maximum of 10 % error threshold. Thus, the use of 8 % in this study for the error is justified. A smaller error threshold was not opted in this study as the number of respondents will exceed researcher's ability.

#### 3.2 Questionnaire results

As mentioned earlier, variables used in this study are gender, age, occupation, income, number of visit, distance to location, type of transport, and education level. After the questionnaire distribution, the results are shown in the following table.

**Table 1.** Results of questionnaires distribution.

Variable	Remark	%	Analysis
Gender	Male	56 %	There were more male respondents in the study because during the interview, if visitors came with their family, only the head of the family were interviewed (mostly male)
	Female	34 %	
Age	17 - 23 y.o	35 %	The CBG offers natural views and beautiful scenes suitable for <i>self-taking</i> photos. Thus, it attracts visitors between 17-23 years old at the most. In addition, the entrance fee is affordable for such age group.
	24 - 30 y.o	18 %	
	31 - 37 y.o	26 %	
	38 - 44 y.o	13 %	
	45 - 51 y.o	8 %	
Occupation	Students	24 %	Office workers are believed to have hectic and monotonous working schedule, thus needing the break from their offices. This seems to cause the level of visits from office workers, along with the affordable entrance fee.
	Entrepreneur	21 %	
	Office workers	41 %	
	Other	14 %	

**Table 1.** Continued

Variable	Remark	%	Analysis
Income	<IDR1,000,000	13 %	The CBG is considered low to medium level of entrance fee, which is very suitable and affordable for visitors in the salary range of IDR 1,000,000 to IDR 3,000,000
	IDR1,000,000 – IDR3,000,000	50 %	
	IDR4,000,000 – IDR6,000,000	26 %	
	IDR7,000,000 – IDR9,000,000	8 %	
	>IDR9,000,000	3 %	
	Number of visit	Once	
2 times		37 %	
3 times		3 %	
>3 times		7 %	
Distance to location	5 - 20 km	19 %	People from distance are likely more curious about places they hear from other friends, relatives or even from websites of social media. Thus, they are more visitors from long distance found in this study.
	20 - 50 km	19 %	
	50 - 100 km	41 %	
	>100 km	21 %	
Type of transport	Personal	63 %	The CBG, which is located at the feet of GedePangrango Mountain and about 1-2 km from main road, is best to reach with own transportation. At the moment, there is no reliable and convenient public transportation is available to the location.
	Hire	23 %	
	Public transport	11 %	
Education level	Junior high school	1 %	It seems logical that the higher education level of an individual, the higher the needs for vacation. It might also be caused by the earning of the higher educated individuals compared to the lower ones that lead to relatively higher educated people visiting CBG.
	Senior high school	48 %	
	Higher education	51 %	

**3.3 Willingness to pay and total economic value**

Using Travel Cost Method, the willingness to pay of the individuals (respondents) is based on the total expenses of respondents during their visits to CBG. In this study, it is calculated that the average of respondents' total expenses equals to IDR202,484. The value is obtained from 156 respondents during the survey. Each individual was asked their expenses related to the following items: transportation, accommodation (if any), food, souvenirs, other expenses spent in CBG. Once the WTP for each respondent was obtained, the value is then used to calculate the total economic value for the CBG.

The total economic value was calculated with the following equation [17]:

$$TEV = \overline{WTP} \times N \tag{2}$$

Where:

*TEV* = total economic value (in local currency, Rupiah)

*WTP* = average of willingness to pay (Rupiah/person)

*N* = number of visitors in a year (visitors)

Using the the above equation, and average number of CBG visitors as many as 558,427 (in 2016), the total economic value of CBG is calculated as follow:

$$\begin{aligned} TEV \text{ of Cibodas} &= IDR202,484 \times 558,427 \\ &= IDR113,072,532,700 \end{aligned}$$

With this information, decision makers of CBG are now able to map the environmental values of CBG along with other market-based values, such as land and facility values, whenever needed. Thus, in the future, decisions related to CBG should also include the environmental values obtained in this study. This is an important step forward because in the past environmental considerations were, mostly, not included in the decision making as information on economic values of the environment was not available. Benefits from similar study can be found in other studies undertaken by Seenprachawong [18] and Lankia, Neuvonen, & Pouta [19]. In this study, the results from the TCM studies were able to assist local governments for improving the coral reel and water quality in respective study locations.


**3.4 Consumer surplus**

Consumer surplus is the difference between what customers spent on certain products/services and their willingness to pay [20]. This consumer surplus can be calculated using the area between demand curve and the average willingness to pay, as illustrated in Figure 2 [21]. In order to obtain the area, the demand curve is drawn from the data in the Table 2.

**Table 2.** Willingness to pay and number of visits.

Number of visits	Willingness to pay (IDR)
1	214,747
2	201,828
3	173,750
>3	151,136

Then, based on the above table, the demand curve can be drawn as shown in Figure 2.



**Fig. 2.** Demand curve for calculating consumer surplus.

The area representing the consumer surplus was calculated by calculating the triangle shape between the WTP Linear and the WTP average lines with the following formula:

$$A = \frac{h \times b}{2} \quad (3)$$

Where:

$A$  = triangle area  
 $h$  = height of the triangle  
 $b$  = base of the triangle

The height of the triangle can be obtained by first determining the intersection of the linear line with the Y axis ( $x = 0$ ):

$$\begin{aligned} Y (WTP) &= -21,891 x + 240,093 \\ &= -21,891 (0) + 240,093 \\ &= 240,093 \end{aligned}$$

Then, the value was subtracted with the WTP average IDR 202,448 Thus, the height of the triangle was calculated as:

$$\begin{aligned} h &= 240,093 - 202,448 \\ &= 37,609 \end{aligned}$$

Further, the base of the triangle is obtained from the intersection of linear line with the average WTP on the X axis. Thus, it was calculated as:

$$\begin{aligned} Y (WTP) &= -21,891 x + 240,093 \\ 202,484 &= -21,891 x + 240,093 \\ x &= 1.72 \end{aligned}$$

At the end, the triangle area was calculated as:

$$\begin{aligned} A &= \frac{h \times b}{2} \\ A &= \frac{37,609 \times 1.72}{2} \\ A &= 32,344 \end{aligned}$$

Therefore, the consumer surplus obtained in this study equals to IDR 32,344 per visitor. The figure can also be used to calculate yearly surplus for CBG by multiplying the individual consumer surplus with the total visitors in one year. If the recent visitors of CBG in 2016 are used (558,427 visitors), the yearly consumer surplus of CBG is:

$$\begin{aligned} \text{Yearly consumer surplus} &= \text{IDR } 32,344 \times 558,427 \\ &= \text{IDR } 18,061,762,890 \end{aligned}$$

This information on the value of consumer surplus value can be used by CBG manager to consider the improvement of CBG facilities using the potential revenue provided the consumer surplus, including environment-related facilities such as solid waste management and sanitation facilities.

## 4 The use of this study – improvement of CBG solid waste management

This part elaborates how the results of this study can be used to assist decision makers on how to improve the management of solid waste in Cibodas Botanical Garden [22].


Based on questions asked to the respondents and observations in the CBG, environment-related that can be improved in the area was the solid waste management. During the interview, 77 % of the respondents believed that solid waste management in CBG should be improved.

In general, the management of CBG has undertaken solid waste management practices. For example, throughout the area there were already 139 rubbish bins to serve the visitors.

The waste from those bins was transported to the landfill twice a day, which account to approximately 500 kg of waste. These wastes were taken from both the visitors areas, as well as the vegetation nursery activities.

Further, it also important to note that CBG also has composting facility in the area of 392 m<sup>2</sup>. Each year, this composting facility produces 27 tonnes of compost which is distributed to farmers and shops surrounding CBG.

In CBG, for each batch, as much as one ton of solid waste is composted using natural and simple composting process. The organic waste is poured with composting activator, then covered by plastic mats and regularly mixed. On the other hand, the anorganic waste has not been treated in any process. In CBG, any anorganic waste is dumped on open land without any treatment, as illustrated in Figure 3.



**Fig. 3.** Dumping of inorganic at CBG.

### 4.1 Volume of generated waste

In this study, the waste generated in CBG was calculated based on the waste being transported to the sorting area, before composting or landfilling, as follow:

$$\text{Waste Volume} = \text{volume of truck container} \times \text{compression factor} \quad (4)$$

$$\begin{aligned} \text{Volume of truck container} \times \text{compression factor} &= 8 \text{ m}^3/\text{day} \times 2 \\ &= 16 \text{ m}^3/\text{day} \\ &= 584 \text{ m}^3/\text{year} \end{aligned}$$

## 4.2 Proposed solid waste improvement programs

Based on the observation, calculation and analysis on the solid waste management, two improvement practices are proposed: more rubbish bins and a recycle centre in CBG.

### 4.2.1 More rubbish bins and billboards

As calculated earlier, the total waste generated in CBG is 16m<sup>3</sup>/d (equal to 16,000 L/d). If this volume is divided with the maximum volume of each rubbish bin, 70L, then ideally in CBG there 229 rubbish bins are needed compared with 139 bins currently available. Thus, it is proposed that CBG provides 90 more rubbish bins to accommodate all the visitors. As for the location of the new rubbish bins are to distribute evenly throughout the CBG area.

Along with more rubbish bins, this study also proposes dissemination of the importance of waste awareness from the visitors. During field observation, litters were still found in the CBG, which show the lack of awareness of some visitors regarding solid waste. Thus, along with the addition of rubbish bins, this study also recommends the use of waste-related billboards as reminders for the visitors on the importance of solid waste management in CBG.

### 4.2.2 Recycle centre

Another program proposed in this study is the initiation of recycle centre near the location of landfill. Currently, waste transported to the transfer station inside the CBG is not treated with any technique. The waste is only dumped in an open area. Thus, this study proposes the improvement of the transfer station to function as a recycle centre. In most tourist areas, waste is composed of 48 % organic waste and 52 % of inorganic waste. In the CBG, organic waste is mostly from leaves and branches from the vegetation, while the inorganic waste is mostly from food and beverage containers. This recycle centre is expected to function as sorting area, cleaning and packaging before transported to customers.

### 4.2.3 Required budget

As it is mentioned earlier, the numbers of required rubbish bins and billboards are 90 and 115 respectively. The costs for each bin and billboard are IDR200,000 and IDR50,000. Thus, the total cost required for the bins and billboards is:

$$\begin{aligned} \text{Total cost} &= (90 \times \text{IDR}200,000) + (115 \times \text{IDR}50,000) \\ \text{Total cost} &= (\text{IDR}18,000,000) + (\text{IDR}5,750,000) \\ \text{Total cost} &= \text{IDR}23,750,000 \end{aligned}$$

As for the recycle centre, the calculation of required cost is based on the criteria given by the Ministry of Public Works. According to the Decree of Ministry of Public Works [23], the investment cost for a recycle centre in Indonesia is IDR500,000,000 per 3m<sup>3</sup>/day of waste. Thus, as the generated solid waste in the CBG equals to 16m<sup>3</sup>/day, required investment cost is:

$$\begin{aligned} \text{Investment Cost} &= \text{IDR}500,000,000 \times \frac{16 \text{ m}^3/\text{day}}{3 \text{ m}^3/\text{day}} \\ \text{Investment Cost} &= \text{IDR}2,666,666,667 \end{aligned}$$

Then, total budget for the improvement of solid waste management in CBG can be compared with the consumer surplus obtained earlier, as shown in the Table 3.

**Table 3.** Potential extra income and allocation comparison.

	Potential extra income	Allocation
<b>Consumer surplus</b>	IDR2,792,135,000	
<b>Rubbish bins</b>		IDR18,000,000
<b>Posters</b>		IDR5,750,000
<b>Recycle centre</b>		IDR2,666,666,667
<b>Total</b>	IDR2,792,135,000	IDR2,690,416,667

Table 3 shows that the total spending for the improvement of solid waste management in CBG is below the potential extra income obtained from the consumer surplus.

## 5 Conclusions

The use of travel cost method in this study has revealed the IDR202,484 willingness to pay value of each respondent, with the total economic value of CBG is IDR18,061,762,890 per year

The information of consumer surplus from this study can be used by CBG manager to make plans regarding the improvement of CBG facilities.

The cost for the improvement of solid waste management in CBG can be fulfilled consumers, as the total required cost is lower than the consumer surplus obtained from this study.

Decision makers of CBG will be able to make more environmentally-friendly decisions related to CBG, with the use of results of this study.

## References

1. Hidayat, I. *User Satisfaction Assessment To Edu-Eco Tourism Services Of Cibodas Botanical*



- Garden. in *IOP Conference Series: Earth and Environmental Science*. IOP Publishing. (2017)
2. Khotimah, H., T. Djatna, and Y. Nurhadryani. *Tourism recommendation based on vector space model using composite social media extraction. in Advanced Computer Science and Information Systems (ICACSIS)*, 2014 International Conference on. IEEE. (2014)
  3. Minaputri, E.F., et al., *Economic assessment of Cibodas botanical garden as environment and human health service-based ecotourism object*. *농업과학연구*, **44**(1): p. 123-132. (2017)
  4. Hatta, H., et al., *Phenology and Growth Habits of Tropical Trees Long-term Observations in the Bogor and Cibodas Botanic Gardens, Indonesia*. National Science Museum Monographs, **30**: p. 1-436. (2005)
  5. Mutaqien, Z. and M. Zuhri, *Establishing a long-term permanent plot in remnant forest of Cibodas Botanic Garden, West Java*. *Biodiversitas Journal of Biological Diversity*. **12**(4). (2011)
  6. Zuhri, M. and Z. Mutaqien, *The spread of non-native plant species collection of Cibodas Botanical Garden into Mt. Gede Pangrango National Park*. *Journal of Tropical Life Science*, **3**(2): p. 74-82. (2013)
  7. Juwana, I., N. Muttill, and B. Perera, *Application of west java water sustainability index to three water catchments in west java, Indonesia*. *Ecological indicators*, **70**: p. 401-408. (2016)
  8. Armbrecht, J., *Use value of cultural experiences: A comparison of contingent valuation and travel cost*. *Tourism Management*, **42**: p. 141-148. (2014)
  9. Hanauer, M.M. and J. Reid, *Valuing urban open space using the travel-cost method and the implications of measurement error*. *Journal of environmental management*, **198**: p. 50-65. (2017)
  10. Kawsar, M.H., et al., *Quantifying recreational value and the functional relationship between travel cost and visiting national park*. *International Journal of Environmental Planning and Management*, 2015. **1**(3): p. 84-89. (2005)
  11. Zhang, F., et al., *The recreational value of gold coast beaches, Australia: An application of the travel cost method*. *Ecosystem Services*, **11**: p. 106-114. (2015)
  12. Muharram, R., *Willingness to Pay Pengguna Angkutan Umum untuk Pelayanan Bus Rapid Transit (BRT) Koridor I di Kota Surakarta: Aplikasi Metode Contingent Valuation*. Universitas Sebelas Maret. (2015)
  13. Sugiyono, D., *Statistika untuk penelitian*. Bandung: CV. Alfabeta, (2006)
  14. Juwana, I., N. Muttill, and B. Perera, *Uncertainty and sensitivity analysis of West Java Water Sustainability Index—A case study on Citarum catchment in Indonesia*. *Ecological indicators*, **61**: p. 170-178. (2016)
  15. Field, A., *An adventure in statistics: the reality enigma*: Sage. (2016)
  16. Juwana, I., N. Muttill, and B. Perera, *Application of West Java water sustainability index to Citarum catchment in West Java, Indonesia*. *Water Science and Technology: Water Supply*, **14**(6): p. 1150-1159. (2014)
  17. Pearce, D.W., *The economic value of forest ecosystems*. *Ecosystem health*, 2001. **7**(4): p. 284-296. (2005)
  18. Seenprachawong, U., *An economic analysis of coral reefs in the Andaman Sea of Thailand, in Marine and Coastal Ecosystem Valuation, Institutions, and Policy in Southeast Asia*. Springer. p. 31-45 (2016)
  19. Lankia, T., M. Neuvonen, and E. Pouta, *Effects of water quality changes on the recreation benefits of swimming in Finland: Combined travel cost and contingent behavior model*. *Water Resources and Economics* (2017)
  20. Handoyo, E., *Eksistensi Pedagang Kaki Lima (Studi Tentang Kontribusi Modal Sosial terhadap Resistensi PKL di Semarang)*. Doktor Studi Pembangunan Program Pascasarjana UKSW (2012)
  21. Djijono, *Valuasi Ekonomi Menggunakan Metode Travel Cost Taman Wisata Hutan di Taman Wan Abdul Rachman, Propinsi Lampung* (2002)
  22. Juwana, I., B. Perera, and N. Muttill. *Conceptual framework for the development of West Java water sustainability index*. in 18th World IMACS Congress and MODSIM09 International Congress on Modelling and Simulation (2009)
  23. Works, M.o.P., *Penyelenggaraan Prasarana Dan Sarana Persampahan Dalam Penanganan Sampah Rumah Tangga Dan Sampah Sejenis Sampah Rumah Tangga*: Jakarta (2013)

# The improvement of solid waste management in Cibodas Botanical Garden (CBG) through environmental economic valuation using the Travel Cost Method (TCM)

*Iwan Juwana & Muhammad Sirdar Albar*



# Outline Presentation



# INTRODUCTION


CBG was defined as both conservation and tourist area.

CBG attracts growing visitors

Environmental values of the CBG are neglected due to the lack of information

A study to quantify the values of environmental issues of CBG is required


This study aims at quantifying economic values of the environmental aspects of CBG, using the travel cost method

 The picture can't be displayed.




The Cibodas Botanical Garden (CBG) is located in the area of Gunung Gede Pangrango National Park, Cianjur Regency, with an area of 125 Ha.

# METHODOLOGY



# RESULTS & DISCUSSION



1

## Number of Responden

With total visitors of CBG is 558,427/year (data of 2016), the number of respondents is calculated as :


$$\begin{aligned}n(8\%) &= \frac{N}{1+N(e)^2} \\ &= \frac{558,427}{1+558,427 (0.08)^2} = 156 \text{ respondents}\end{aligned}$$

\*Note : Slovin formula allows maximum threshold of 10%






## GENDER




There were more male respondents in the study because during the interview, if visitors came with their family, only the head of the family were interviewed (mostly male)

## AGE




The CBG offers natural views and beautiful scenes suitable for *self-taking* photos. Thus, it attracts visitors between 17-23 years old at the most

## OCCUPATION




Office workers are believed to have hectic and monotonous working schedule, thus needing the break from their offices. This seems to cause the level of visits from office workers, along with the affordable entrance fee.

## INCOME




The CBG is considered low to medium level of entrance fee, which is very suitable and affordable for visitors in the salary range of Rp. 1,000,000,- to Rp. 3,000,000,-

## NUMBER OF VISIT




More first-time visitors are found because people tend to visit other places after their first visits. However, the second time visits is still quite high (37%).

## DISTANCE TO LOCATION




People from distance are likely more curious about places they hear from other friends, relatives or even from websites of social media. Thus, they are more visitors from long distance found in this study

## TYPE OF TRANSPORT



The CBG, which is located at the feet of Gede Pangrango Mountain and about 1-2 km from main road, is best to reach with own transportation.

## EDUCATION LEVEL



It seems logical that the higher education level of an individual, the higher the needs for vacation



### 3 Willingness to Pay and Total Economic Value

#### A. Willingness To Pay

- In this study, it is calculated that the average of respondents' total expenses equals to **Rp. 202,484,-**.
- The value is obtained from 156 respondents during the survey.
- Each individual was asked their expenses related to the following items: transportation, accommodation (if any), food, souvenirs, other expenses spent in CBG.

#### B. Total Economic Value

The total economic value was calculated with the following equation [17]:

$$TEV = \overline{WTP} \times N$$

Where:

TEV = total economic value (in local currency, Rupiah)

WTP = average of willingness to pay (Rupiah/person)

N = number of visitors in a year (visitors)

Using the the above equation, and average number of CBG visitors as many as 558,427 (in 2016), the total economic value of CBG is calculated as follow:

$$\begin{aligned} \text{TEV of Cibodas} &= \text{Rp. } 202,484 \times 558,427 \\ &= \text{Rp. } 113,072,532,700 \end{aligned}$$

## 4


## Consumer Surplus

“Consumer surplus is the difference between what customers spent on certain products/services and their willingness to pay” (Djijono, 2002)

This consumer surplus can be calculated using the area between demand curve and the average willingness to pay, as illustrated in **Figure 2**. In order to obtain the area, the demand curve is drawn from the data in the **Table 2**.

**Table 2.** Willingness to pay and number of visits.

Number of visits	Willingness to Pay (Rp)
1	214,747,-
2	201,828,-
3	173,750,-
>3	151,136,-



**Fig. 2.** Demand curve for calculating consumer surplus.

The area representing the consumer surplus was calculated by calculating the triangle shape between the WTP Linear and the WTP average lines with the following formula:

$$A = \frac{h \times b}{2}$$

h = height of the triangle  
b = base of the triangle

Y axis ( $x = 0$ ):

$$\begin{aligned} Y (WTP) &= -21,891 x + 240,093 \\ &= -21,891 (0) + 240,093 \\ &= 240,093 \end{aligned}$$

Thus, the height of the triangle was calculated as: *Yearly consumer surplus = Rp. 32,344 X 558,427*

$$\begin{aligned} h &= 240,093 - 202,448 \\ &= 37,609 \end{aligned}$$

$$\begin{aligned} Y (WTP) &= -21,891 x + 240,093 \\ 202,484 &= -21,891 x + 240,093 \\ x &= 1.72 \end{aligned}$$

$$\begin{aligned} A &= \frac{h \times b}{2} \\ A &= \frac{37,609 \times 1.72}{2} \\ A &= 32,344 \end{aligned}$$

Therefore, the consumer surplus obtained in this study equals to **Rp. 32,344** per visitor.

If the recent visitors of CBG in 2016 are used (558,427 visitors), the yearly consumer surplus of CBG is:

$$\begin{aligned} \text{Yearly consumer surplus} &= \text{Rp. } 32,344 \times 558,427 \\ &= \text{Rp. } \mathbf{18,061,762,890} \end{aligned}$$

# IMPROVEMENT OF CBG SOLID WASTE MANAGEMENT

During the interview, 77% of the respondents believed that solid waste management in CBG should be improved.

In general, the management of CBG has undertaken solid waste management practices ( 139 rubbish bins to serve the visitors)

The waste from those bins was transported to the landfill twice a day, which account to approximately 500 kg of waste

Each year, this composting facility produces 27 tonnes of compost which is distributed to farmers and shops surrounding CBG

On the other hand, the anorganic waste has not been treated in any process.



## Volume of Generated Waste

In this study, the waste generated in CBG was calculated based on the waste being transported to the sorting area, before composting or landfilling, as follow:

$$\begin{aligned} \text{Waste Volume} &= \text{volume of truck container} \times \text{compression factor} \\ &= 8 \text{ m}^3/\text{day} \times 2 \\ &= 16 \text{ m}^3/\text{day} \\ &= 584 \text{ m}^3/\text{year} \end{aligned}$$



## Proposed Solid Waste Improvement Programs

*A. More Rubbish  
Bins and  
Billboards*

*B. Recycle Centre*

*C. Required  
Budget*

## A. More Rubbish Bins and Billboards

Total waste generated = 16,000 liter/day = 16 m<sup>3</sup>/day

Maximum volume of each rubbish bin = 70 liter

139 bins currently available.

$$\begin{aligned}\text{Ideally rubbish bins} &= \frac{\text{Total waste generated}}{\text{volume of each rubbish bins}} \\ &= \frac{16,000 \text{ liter}}{70 \text{ liter}} \\ &= 228,57 = \mathbf{229 \text{ rubbish bins}}\end{aligned}$$



CBG needs **90 more** rubbish bins to accommodate all the visitors. As for the location of the new rubbish bins are to distribute evenly throughout the CBG area.



Thus, along with the addition of rubbish bins, this study also recommends the use of waste-related billboards as reminders for the visitors on the importance of solid waste management in CBG.



## B. *Recycle Centre*

- Currently, waste transported to the transfer station inside the CBG is not treated with any technique.
- The waste is only dumped in an open area.
- Thus, this study proposes the improvement of the transfer station to function as a recycle centre.
- In most tourist areas, waste is composed of 48% organic waste and 52% of inorganic waste.



This recycle centre is expected to function as sorting area, cleaning and packaging before transported to customers.

### C. Required Budget

- **More Rubbish Bins and Billboards**

Required rubbish bins = 90

Required billboards = 1 : 2 rubbish bins = 115

The costs for each bin and billboard are Rp. 200,000.- and Rp. 50,000.-.

$$\text{Total cost} = (90 \times \text{Rp. } 200,000) + (115 \times \text{Rp. } 50,000)$$

$$\text{Total cost} = (\text{Rp. } 18,000,000) + (\text{Rp. } 5,750,000)$$

$$\text{Total cost} = \text{Rp. } 23,750,000. -$$

- **Recycle Centre**

According to the Decree of Ministry of Public Works [23], the investment cost for a recycle centre in Indonesia is Rp. 500,000,000 per 3 m<sup>3</sup>/day of waste. Thus, as the generated solid waste in the CBG equals to 16 m<sup>3</sup>/day, required investment cost is:

$$\text{Investment Cost} = 500,000,000 \times \frac{16\text{m}^3/\text{day}}{3\text{m}^3/\text{day}}$$

$$\text{Investment Cost} = 2,666,666,667. -$$

Total budget for the improvement of solid waste management in CBG, as shown in the Table 3.

**Table 3.** Potential extra income and allocation comparison.

	Potential Extra Income	Allocation
Consumer surplus	Rp. 2,792,135,000	
Rubbish Bins		Rp. 18,000,000
Posters		Rp. 5,750,000
Recycle Centre		Rp.2,666,666,667
<b>Total</b>	Rp. 2,792,135,000	Rp. 2,690,416,667

# CONCLUSIONS

1. The use of travel cost method in this study has revealed the Rp. 202,484,- willingness to pay value of each respondent, with the total economic value of CBG is Rp. 18,061,762,890,- per year
2. The information of consumer surplus from this study can be used by CBG manager to make plans regarding the improvement of CBG facilities
3. The cost for the improvement of solid waste management in CBG can be fulfilled consumers, as the total required cost is lower than the consumer surplus obtained from this study
4. Decision makers of CBG will be able to make more environmentally-friendly decisions related to CBG, with the use of results of this study

# REFERENCES

- [1.] Hidayat, I. *User Satisfaction Assessment To Edu-Eco Tourism Services Of Cibodas Botanical Garden*. in *IOP Conference Series: Earth and Environmental Science*. IOP Publishing. (2017)
- [2.] Khotimah, H., T. Djatna, and Y. Nurhadryani. *Tourism recommendation based on vector space model using composite social media extraction*. in *Advanced Computer Science and Information Systems (ICACSIS), 2014 International Conference on*. IEEE. (2014)
- [3.] Minaputri, E.F., et al., *Economic assessment of Cibodas botanical garden as environment and human health service-based ecotourism object*. 농업과학연구, **44**(1): p. 123-132. (2017)
- [4.] Hatta, H., et al., *Phenology and Growth Habits of Tropical Trees Long-term Observations in the Bogor and Cibodas Botanic Gardens, Indonesia*. National Science Museum Monographs, **30**: p. 1-436. (2005)
- [5.] Mutaqien, Z. and M. Zuhri, *Establishing a long-term permanent plot in remnant forest of Cibodas Botanic Garden, West Java*. Biodiversitas Journal of Biological Diversity, **12**(4). (2011)
- [6.] Zuhri, M. and Z. Mutaqien, *The spread of non-native plant species collection of Cibodas Botanical Garden into Mt. Gede Pangrango National Park*. Journal of Tropical Life Science, **3**(2): p. 74-82. (2013)

- [7.] Juwana, I., N. Muttil, and B. Perera, *Application of west java water sustainability index to three water catchments in west java, Indonesia*. *Ecological indicators*, **70**: p. 401-408. (2016)
- [8.] Armbrecht, J., *Use value of cultural experiences: A comparison of contingent valuation and travel cost*. *Tourism Management*, **42**: p. 141-148. (2014)
- [9.] Hanauer, M.M. and J. Reid, *Valuing urban open space using the travel-cost method and the implications of measurement error*. *Journal of environmental management*, **198**: p. 50-65. (2017)
- [10.] Kawsar, M.H., et al., *Quantifying recreational value and the functional relationship between travel cost and visiting national park*. *International Journal of Environmental Planning and Management*, 2015. **1**(3): p. 84-89. (2005)
- [11.] Zhang, F., et al., *The recreational value of gold coast beaches, Australia: An application of the travel cost method*. *Ecosystem Services*, **11**: p. 106-114. (2015)
- [12.] Muharram, R., *Willingness to Pay Pengguna Angkutan Umum untuk Pelayanan Bus Rapid Transit (BRT) Koridor I di Kota Surakarta: Aplikasi Metode Contingent Valuation*. Universitas Sebelas Maret. (2015)
- [13.] Sugiyono, D., *Statistika untuk penelitian*. Bandung: CV. Alfabeta, (2006)

- [14.] Juwana, I., N. Muttill, and B. Perera, *Uncertainty and sensitivity analysis of West Java Water Sustainability Index–A case study on Citarum catchment in Indonesia*. *Ecological indicators*, **61**: p. 170-178. (2016)
- [15.] Field, A., *An adventure in statistics: the reality enigma*: Sage. (2016)
- [16.] Juwana, I., N. Muttill, and B. Perera, *Application of West Java water sustainability index to Citarum catchment in West Java, Indonesia*. *Water Science and Technology: Water Supply*, **14**(6): p. 1150-1159. (2014)
- [17.] Pearce, D.W., *The economic value of forest ecosystems*. *Ecosystem health*, 2001. **7**(4): p. 284-296. (2005)
- [18.] Seenprachawong, U., *An economic analysis of coral reefs in the Andaman Sea of Thailand, in Marine and Coastal Ecosystem Valuation, Institutions, and Policy in Southeast Asia*. Springer. p. 31-45. (2016)
- [19.] Lankia, T., M. Neuvonen, and E. Pouta, *Effects of water quality changes on the recreation benefits of swimming in Finland: Combined travel cost and contingent behavior model*. *Water Resources and Economics*, (2017)

- [20.] Handoyo, E., *Eksistensi Pedagang Kaki Lima (Studi Tentang Kontribusi Modal Sosial terhadap Resistensi PKL di Semarang)*. Doktor Studi Pembangunan Program Pascasarjana UKSW. (2012)
- [21.] Djijono, *Valuasi Ekonomi Menggunakan Metode Travel Cost Taman Wisata Hutan di Taman Wan Abdul Rachman, Propinsi Lampung* (2002)
- [22.] Juwana, I., B. Perera, and N. Muttil. *Conceptual framework for the development of West Java water sustainability index. in 18th World IMACS Congress and MODSIM09 International Congress on Modelling and Simulation*. (2009)
- [23.] Works, M.o.P., *Penyelenggaraan Prasarana Dan Sarana Persampahan Dalam Penanganan Sampah Rumah Tangga Dan Sampah Sejenis Sampah Rumah Tangga*: Jakarta. (2013)



**THANK YOU**





# The improvement of solidwaste management in Cibodas Botanical Garden ...

*By Iwan Juwana*

# The improvement of solidwaste management in Cibodas Botanical Garden through environmental economic valuation using the travel cost method

Iwan Juwana<sup>1,\*</sup> and Muhammad Sirdar Albar<sup>1</sup>

<sup>1</sup>Institut Teknologi Nasional Bandung, Department of Environmental Engineering, PHH Mustafa 23 Bandung, Indonesia

**Abstract.** Cibodas Botanical Garden (CBG) is believed to have high environmental value for its function as conservation area and beautiful scenery. However, prior to this research, there is lack of economic valuation to determine the total value of CBG, including its environment. The local government, on the other hand, needs such environmental economic valuation to execute better decisions related to the CBG. This study aims at providing the mostly-needed economic valuation through the application of Travel Cost Method. The Travel Cost Method (TCM) is a method to calculate the economic value of products or services that do not own market value. This method utilises total cost of consumers who travel to certain places, preferably tourist destinations. The cost spent by consumers are considered as their willingness to pay (WTP) for the visited destination(s). In this study, TCM is used by preparing questionnaires for Cibodas visitors, analysing the results of the questionnaires, calculating the total economic value (TEV) of Cibodas, determining the consumer surplus, and proposing environmental programs at CBG. At the end, it was calculated that the TEV of Cibodas Botanical Garden is IDR113,072,532,700 with average WTP of the visitors IDR202,484 per visitor and the consumer surplus of IDR32,344 per visitor. Also, this study reveals that solid waste management improvement at CBG can be funded by potential income from the consumer surplus.

## 1 Introduction

Tourist destinations have been included in nearly everyone's plan during holiday periods. Indonesia is bestowed with abundant natural resources, some of them have become tourist attractions. One of the globally known tourist natural destinations is the Cibodas Botanical Garden [1–3].

The Cibodas Botanical Garden (CBG) is located in the area of Gunung Gede Pangrango National Park, Cianjur Regency. The 125 ha garden initially served as an acclimatisation of vegetation imported from other countries, particularly vegetation with rich in value and have high economic value [4–6]. However, since the year 2003 the CBG has been defined as both conservation and tourist area. Since then, offering the beautiful view and affordable entrance fee, the CBG has become a holiday destination for local and foreign tourists.

Due to one of its functions as conservation area of Cianjur region, along with its fresh air and beautiful view, it is by no surprise that the place has attracted growing visitors each year. Unfortunately, environmental values of the CBG are often neglected during decision making related to the area due to the lack of information of such environmental values [1–3, 7]. Therefore, a study to quantify the values of environmental issues of CBG is of utmost important.

This study aims at quantifying economic values of the environmental aspects of CBG, using the travel cost method (TCM) [8–11]. With this method, the willingness to pay of visitors is obtained from the total expenditure of visitors visiting CBG. In its application, this method allows researchers to calculate economic surplus of selected respondents. This consumer surplus can also be used to assist not only local government, but also the CBG manager, to improve the management of CBG in the future. The information on the consumer surplus will allow CBG manager to explore possibilities of improving CBG using the potential income from the consumers.


## 2 Methods

In general, the steps undertaken in this study are shown in Figure 1. The figure shows that the economic valuation study of the CBG is initiated by literature review. The review of literature is an important step in this study as it provides information on current conditions related to the study. When undertaking this economic valuation study, it is inevitable to explore past studies on economic valuation of environmental services in other places. Also, it is highly beneficial to compare available methods for various environmental products and services valuation and how the methods are applied in different situations. This can only be done through sound literature review. In order to expand the benefits,

---

\* Corresponding author: juwana@itenas.ac.id

the review of existing literatures in this study was undertaken for both national and international contexts. This way, the review provides the state of the art of similar studies holistically.



**Fig. 1.** Steps for the environmental valuation study of Cibodas National Park.

The literature review was then followed by the next step namely the variable selection for this study. The selection of variables is required to, later, analyse factors affecting the willingness to pay of respondents in this study. Basically, the variables were selected from past studies similar to this study. Some other literatures, such as books and government regulations, to enrich the variables in this study, were also used. At the end of this step, identified variables were gender, age, occupation, income, number of visit, distance to location, type of transport, and education level. In general, these variables are assumed to affect the willingness to pay of visitors visiting the Cibodas Botanical Garden. Based on these variables, a questionnaire was then designed and tested.

The next step was to collect necessary data, both primary and secondary ones. Primary data was obtained from the field observation and distribution of questionnaires to CBG visitors. The number of respondents was defined using Slovin formula with 8 % error. The secondary data was taken from related institutions, such as Cultural and Tourism Agency of Cianjur Regency and CBG Management.

After all required data were collected, the study was followed by data calculation and analysis. The analysis included both the descriptive analysis and the travel cost analysis. The descriptive analysis offers individual phenomenon, such as socio-economic characteristics, of the selected respondents. This analysis was undertaken to support the valuation questions given to the respondents [12]. Then, the travel cost analysis was undertaken to obtain the value of respondents' willingness to pay related to CBD. The travel cost analysis for this study is done through the following:

1. Identification of the recreation area (environment-based tourist attraction) as a case study.
2. Distribution of questionnaires to collect data from respondents on their expenditures to the location, number of visits, and others.
3. Undertake willingness to pay (WTP) calculation, which includes individual WTP and summation

of WTP to be considered as total economic value of the location.

4. Drawing a demand curve based on respondent's answers during the questionnaire distribution, and followed by calculating its consumer surplus.

## 3 Results and discussions

### 3.1. Number of respondents

The number of respondents to be given the questionnaires was based on the Slovin Formula with error margin of 8 %. As the total visitors of CBG is 558,427 per year (data of 2016), the number of respondents in this study is calculated as:

$$n(8\%) = \frac{N}{1 + N(e)^2} \quad (1)$$

$$= \frac{558,427}{1 + 558,427(0.08)^2} = 156 \text{ respondents}$$

Sugiyono [13–16] stated that Slovin formula allows the maximum of 10 % error threshold. Thus, the use of 8 % in this study for the error is justified. A smaller error threshold was not opted in this study as the number of respondents will exceed researcher's ability.

### 3.2 Questionnaire results

As mentioned earlier, variables used in this study are gender, age, occupation, income, number of visit, distance to location, type of transport, and education level. After the questionnaire distribution, the results are shown in the following table.

**Table 1.** Results of questionnaires distribution.

Variable	Remark	%	Analysis
Gender	Male	56 %	There were more male respondents in the study because during the interview, if visitors came with their family, only the head of the family were interviewed (mostly male)
	Female	34 %	
Age	17 - 23 y.o	35 %	The CBG offers natural views and beautiful scenes suitable for <i>self-taking</i> photos. Thus, it attracts visitors between 17-23 years old at the most. In addition, the entrance fee is affordable for such age group.
	24 - 30 y.o	18 %	
	31 - 37 y.o	26 %	
	38 - 44 y.o	13 %	
	45 - 51 y.o	8 %	
Occupation	Students	24 %	Office workers are believed to have hectic and monotonous working schedule, thus needing the break from their offices. This seems to cause the level of visits from office workers, along with the affordable entrance fee.
	Entrepreneur	21 %	
	Office workers	41 %	
	Other	14 %	

**Table 1.** Continued

Variable	Remark	%	Analysis
Income	<IDR1,000,000	13 %	The CBG is considered low to medium level of entrance fee, which is very suitable and affordable for visitors in the salary range of IDR 1,000,000 to IDR 3,000,000
	IDR1,000,000 – IDR3,000,000	50 %	
	IDR4,000,000 – IDR6,000,000	26 %	
	IDR7,000,000 – IDR9,000,000	8 %	
	>IDR9,000,000	3 %	
	Number of visit	Once	
	2 times	37 %	
	3 times	3 %	
	4 times	7 %	
Distance to location	5 - 20 km	19 %	People from distance are likely more curious about places they hear from other friends, relatives or even from websites of social media. Thus, they are more visitors from long distance found in this study.
	20 - 50 km	19 %	
	50 - 100 km	41 %	
	> 100 km	21 %	
Type of transport	Personal	63 %	The CBG, which is located at the feet of Gede Pangrango Mountain and about 1-2 km from main road, is best to reach with own transportation. At the moment, there is no reliable and convenient public transportation is available to the location.
	Hire	23 %	
	Public transport	11 %	
Education level	Junior high school	1 %	It seems logical that the higher education level of an individual, the higher the needs for vacation. It might also be caused by the earning of the higher educated individuals compared to the lower ones that lead to relatively higher educated people visiting CBG.
	Senior high school	48 %	
	Higher education	51 %	

**3.3 Willingness to pay and total economic value**

Using Travel Cost Method, the willingness to pay of the individuals (respondents) is based on the total expenses of respondents during their visits to CBG. In this study, it is calculated that the average of respondents' total expenses equals to IDR202,484. The value is obtained from 156 respondents during the survey. Each individual was asked their expenses related to the following items: transportation, accommodation (if any), food, souvenirs, other expenses spent in CBG. Once the WTP for each respondent was obtained, the value is then used to calculate the total economic value for the CBG.

The total economic value was calculated with the following equation [17]:

$$TEV = \overline{WTP} \times N \tag{2}$$

Where:

TEV = total economic value (in local currency, Rupiah)

WTP = average of willingness to pay (Rupiah/person)

N = number of visitors in a year (visitors)

Using the the above equation, and average number of CBG visitors as many as 558,427 (in 2016), the total economic value of CBG is calculated as follow:

$$\begin{aligned} TEV \text{ of Cibodas} &= IDR202,484 \times 558,427 \\ &= IDR113,072,532,700 \end{aligned}$$

With this information, decision makers of CBG are now able to map the environmental values of CBG along with other market-based values, such as land and facility values, whenever needed. Thus, in the future, decisions related to CBG should also include the environmental values obtained in this study. This is an important step forward because in the past environmental considerations were, mostly, not included in the decision making as information on economic values of the environment was not available. Benefits from similar study can be found in other studies undertaken by Seenprachawong [18] and Lankia, Neuvonen, & Pouta [19]. In this study, the results from the TCM studies were able to assist local governments for improving the coral reel and water quality in respective study locations.


**3.4 Consumer surplus**

Consumer surplus is the difference between what customers spent on certain products/services and their willingness to pay [20]. This consumer surplus can be calculated using the area between demand curve and the average willingness to pay, as illustrated in Figure 2 [21]. In order to obtain the area, the demand curve is drawn from the data in the Table 2.

**Table 2.** Willingness to pay and number of visits.

Number of visits	Willingness to pay (IDR)
1	214,747
2	201,828
3	173,750
>3	151,136

Then, based on the above table, the demand curve can be drawn as shown in Figure 2.



**Fig. 2.** Demand curve for calculating consumer surplus.

The area representing the consumer surplus was calculated by calculating the triangle shape between the WTP Linear and the WTP average lines with the following formula:

$$A = \frac{h \times b}{2} \quad (3)$$

Where:

$A$  = triangle area

$h$  = height of the triangle

$b$  = base of the triangle

The height of the triangle can be obtained by first determining the intersection of the linear line with the Y axis ( $x = 0$ ):

$$\begin{aligned} Y (WTP) &= -21,891 x + 240,093 \\ &= -21,891 (0) + 240,093 \\ &= 240,093 \end{aligned}$$

Then, the value was subtracted with the WTP average IDR 202,448 Thus, the height of the triangle was calculated as:

$$\begin{aligned} h &= 240,093 - 202,448 \\ &= 37,609 \end{aligned}$$

Further, the base of the triangle is obtained from the intersection of linear line with the average WTP on the X axis. Thus, it was calculated as:

$$\begin{aligned} Y (WTP) &= -21,891 x + 240,093 \\ 202,484 &= -21,891 x + 240,093 \\ x &= 1.72 \end{aligned}$$

At the end, the triangle area was calculated as:

$$\begin{aligned} A &= \frac{h \times b}{2} \\ A &= \frac{37,609 \times 1.72}{2} \\ A &= 32,344 \end{aligned}$$

Therefore, the consumer surplus obtained in this study equals to IDR 32,344 per visitor. The figure can also be used to calculate yearly surplus for CBG by multiplying the individual consumer surplus with the total visitors in one year. If the recent visitors of CBG in 2016 are used (558,427 visitors), the yearly consumer surplus of CBG is:

$$\begin{aligned} \text{Yearly consumer surplus} &= \text{IDR } 32,344 \times 558,427 \\ &= \text{IDR } 18,061,762,890 \end{aligned}$$

This information on the value of consumer surplus value can be used by CBG manager to consider the improvement of CBG facilities using the potential revenue provided the consumer surplus, including environment-related facilities such as solid waste management and sanitation facilities.

## 4 The use of this study – improvement of CBG solid waste management

This part elaborates how the results of this study can be used to assist decision makers on how to improve the management of solid waste in Cibodas Botanical Garden [22].

Based on questions asked to the respondents and observations in the CBG, environment-related that can be improved in the area was the solid waste management. During the interview, 77 % of the respondents believed that solid waste management in CBG should be improved.

In general, the management of CBG has undertaken solid waste management practices. For example, throughout the area there were already 139 rubbish bins to serve the visitors.

The waste from those bins was transported to the landfill twice a day, which account to approximately 500 kg of waste. These wastes were taken from both the visitors areas, as well as the vegetation nursery activities.

Further, it also important to note that CBG also has composting facility in the area of 392 m<sup>2</sup>. Each year, this composting facility produces 27 tonnes of compost which is distributed to farmers and shops surrounding CBG.

In CBG, for each batch, as much as one ton of solid waste is composted using natural and simple composting process. The organic waste is poured with composting activator, then covered by plastic mats and regularly mixed. On the other hand, the anorganic waste has not been treated in any process. In CBG, any anorganic waste is dumped on open land without any treatment, as illustrated in Figure 3.



Fig. 3. Dumping of inorganic at CBG.

### 4.1 Volume of generated waste

In this study, the waste generated in CBG was calculated based on the waste being transported to the sorting area, before composting or landfilling, as follow:

*Waste Volume = volume of truck container x compression factor*

(4)

$$\begin{aligned} \text{Volume of truck container} \times \text{compression factor} &= 8 \text{ m}^3/\text{day} \times 2 \\ &= 16 \text{ m}^3/\text{day} \\ &= 584 \text{ m}^3/\text{year} \end{aligned}$$

#### 4.2 Proposed solid waste improvement programs

Based on the observation, calculation and analysis on the solid waste management, two improvement practices are proposed: more rubbish bins and a recycle centre in CBG.

##### 4.2.1 More rubbish bins and billboards

As calculated earlier, the total waste generated in CBG is 16m<sup>3</sup>/d (equal to 16,000 L/d). If this volume is divided with the maximum volume of each rubbish bin, 70L, then ideally in CBG there 229 rubbish bins are needed compared with 139 bins currently available. Thus, it is proposed that CBG provides 90 more rubbish bins to accommodate all the visitors. As for the location of the new rubbish bins are to distribute evenly throughout the CBG area.

Along with more rubbish bins, this study also proposes dissemination of the importance of waste awareness from the visitors. During field observation, litters were still found in the CBG, which show the lack of awareness of some visitors regarding solid waste. Thus, along with the addition of rubbish bins, this study also recommends the use of waste-related billboards as reminders for the visitors on the importance of solid waste management in CBG.

##### 4.2.2 Recycle centre

Another program proposed in this study is the initiation of recycle centre near the location of landfill. Currently, waste transported to the transfer station inside the CBG is not treated with any technique. The waste is only dumped in an open area. Thus, this study proposes the improvement of the transfer station to function as a recycle centre. In most tourist areas, waste is composed of 48 % organic waste and 52 % of inorganic waste. In the CBG, organic waste is mostly from leaves and branches from the vegetation, while the inorganic waste is mostly from food and beverage containers. This recycle centre is expected to function as sorting area, cleaning and packaging before transported to customers.

##### 4.2.3 Required budget

As it is mentioned earlier, the numbers of required rubbish bins and billboards are 90 and 115 respectively. The costs for each bin and billboard are IDR200,000 and IDR50,000. Thus, the total cost required for the bins and billboards is:

$$\begin{aligned} \text{Total cost} &= (90 \times \text{IDR}200,000) + (115 \times \text{IDR}50,000) \\ \text{Total cost} &= (\text{IDR}18,000,000) + (\text{IDR}5,750,000) \\ \text{Total cost} &= \text{IDR}23,750,000 \end{aligned}$$

As for the recycle centre, the calculation of required cost is based on the criteria given by the Ministry of Public Works. According to the Decree of Ministry of Public Works [23], the investment cost for a recycle centre in Indonesia is IDR500,000,000 per 3m<sup>3</sup>/day of waste. Thus, as the generated solid waste in the CBG equals to 16m<sup>3</sup>/day, required investment cost is:

$$\begin{aligned} \text{Investment Cost} &= \text{IDR}500,000,000 \times \frac{16 \text{ m}^3/\text{day}}{3 \text{ m}^3/\text{day}} \\ \text{Investment Cost} &= \text{IDR}2,666,666,667 \end{aligned}$$

Then, total budget for the improvement of solid waste management in CBG can be compared with the consumer surplus obtained earlier, as shown in the Table 3.

**Table 3.** Potential extra income and allocation comparison.

	Potential extra income	Allocation
Consumer surplus	IDR2,792,135,000	
Rubbish bins		IDR18,000,000
Posters		IDR5,750,000
Recycle centre		IDR2,666,666,667
Total	IDR2,792,135,000	IDR2,690,416,667

Table 3 shows that the total spending for the improvement of solid waste management in CBG is below the potential extra income obtained from the consumer surplus.

## 5 Conclusions

The use of travel cost method in this study has revealed the IDR202,484 willingness to pay value of each respondent, with the total economic value of CBG is IDR18,061,762,890 per year

The information of consumer surplus from this study can be used by CBG manager to make plans regarding the improvement of CBG facilities.

The cost for the improvement of solid waste management in CBG can be fulfilled consumers, as the total required cost is lower than the consumer surplus obtained from this study.

Decision makers of CBG will be able to make more environmentally-friendly decisions related to CBG, with the use of results of this study.

# The improvement of solidwaste management in Cibodas Botanical Garden ...

---

ORIGINALITY REPORT

---

1%

SIMILARITY INDEX

---

PRIMARY SOURCES

---

1	<a href="http://www.ym.fi">www.ym.fi</a> Internet	11 words — < 1%
2	<a href="http://www.ijert.org">www.ijert.org</a> Internet	10 words — < 1%
3	<a href="http://www.scribd.com">www.scribd.com</a> Internet	8 words — < 1%

---

EXCLUDE QUOTES OFF  
EXCLUDE BIBLIOGRAPHY OFF

EXCLUDE MATCHES OFF