

■ ELECTRICITY

■ COMMUNICATION

■ TECHNOLOGY

ELKOMIKA:

JURNAL

TEKNIK ENERGI ELEKTRIK, TEKNIK TELEKOMUNIKASI, & TEKNIK ELEKTRONIKA

TERAKREDITASI RISTEKDIKTI PERINGKAT 2 SESUAI DENGAN SK NO. 30/E/KPT/2018

■ Vol. 8
No. 3

■ Hlm.
467 - 705

■ Bandung
September 2020

■ ISSN (p) : 2338-8323
ISSN (e) : 2459-9638

SUSUNAN PENGELOLA JURNAL ELKOMIKA

Volume 8 Nomor 3 Tahun 2020

Penerbit:

Teknik Elektro Institut Teknologi Nasional (ITENAS) Bandung

Penanggung Jawab:

Ketua Program Studi Teknik Elektro
Institut Teknologi Nasional (ITENAS) Bandung

Pemimpin Redaksi:

Arsyad Ramadhan Darlis

Redaksi Pelaksana :

Waluyo (Institut Teknologi Nasional (ITENAS) Bandung)
Dwi Aryanta (Institut Teknologi Nasional (ITENAS) Bandung)
Castaka Agus Sugianto (Politeknik TEDC Bandung)
Ratna Susana (Institut Teknologi Nasional (ITENAS) Bandung)
Nur Ibrahim (Universitas Telkom)
Ulil Surtia Zulpratita (Universitas Widyatama)
Lita Lidyawati (Institut Teknologi Nasional (ITENAS) Bandung)
Irma Amelia Dewi (Institut Teknologi Nasional (ITENAS) Bandung)
Muhammad Azis Mahardika (Institut Teknologi Nasional (ITENAS) Bandung)
Lucia Jambola (Institut Teknologi Nasional (ITENAS) Bandung)
Vibianti Dwi Pratiwi (Institut Teknologi Nasional (ITENAS) Bandung)

Administrator:

Nanang Ruswandi, Yugo Senddy dan Ita Nursita

ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika telah **Terakreditasi Kementerian RistekDikti Peringkat 2 sesuai dengan SK No. 36/E/KPT/2019**. Jurnal ini diterbitkan 3 (tiga) kali dalam satu tahun pada bulan Januari, Mei dan September. Jurnal ini berisi tulisan yang diangkat dari hasil penelitian dan kajian analisis di bidang ilmu pengetahuan dan teknologi, khususnya pada Teknik Energi Elektrik, Teknik Telekomunikasi, dan Teknik Elektronika. Artikel Jurnal Elkomika dalam versi cetak telah di-online-kan menggunakan *Open Journal System (OJS)* pada <http://ejournal.itenas.ac.id/index.php/elkomika>.

Alamat redaksi dan tata usaha :

Teknik Elektro Institut Teknologi Nasional Bandung Gedung 20
Jl. PHH. Mustofa 23 Bandung 40124
Tel. 7272215 Fax. 7202892; e-mail: jte.itenas@itenas.ac.id

ELKOMIKA:

JURNAL

TEKNIK ENERGI ELEKTRIK, TEKNIK TELEKOMUNIKASI, & TEKNIK ELEKTRONIKA

DAFTAR ISI

Volume 8 Nomor 3 Tahun 2020

Interpolasi Cubic Spline untuk Memetakan Distribusi Panas pada Permukaan Panel Sel Surya Bayu Erfianto, Aldry Hernanda Setiawan	467 - 476
Kendali Kecepatan Motor Induksi 3 Fase Berbasis <i>Particle Swarm Optimization</i> (PSO) Hanif Hasyier Fakhruddin, Handri Toar, Era Purwanto, Hary Oktavianto, Raden Akbar Nur Apriyanto, Angga Wahyu Aditya	477 - 491
Kontrol Angle of Attack untuk Optimasi Daya pada <i>Vertical Axis Wind Turbine</i> Tipe <i>Darrieus</i> Wahyu Aulia Nurwicaksana, Budhy Setiawan, Ika Noer Syamsiana, Septyana Riskitasari	492 - 504
Deteksi Radar Pasif menggunakan GNU Radio dan SDR pada Frekuensi Televisi Yonatan Edwin Marpaung, Aloysius Adya Pramudita, Erfansyah Ali	505 - 517
Aplikasi <i>Direct Matrix Converter</i> pada Pengendali Kecepatan Motor Induksi 3 Fase menggunakan Modulasi Venturini Gamar basuki, era purwanto, hary oktavianto, mentari putri jati, Mochamad Ari Bagus Nugroho	518 - 532
Pengembangan <i>Governor</i> Elektrik Berbasis Arduino sebagai Sistem Kontrol Turbin Air <i>Screw</i> Tarsisius Kristyadi, Reza Aditya, Pramuda Nugraha	533 - 345
Perbaikan MPPT <i>Incremental Conductance</i> menggunakan ANN pada Berbayang Sebagian dengan Hubungan Paralel Muhammad Nizar Habibi, Dimas Nur Prakoso, Novie Ayub Windarko, Anang Tjahjono	546 - 560
Kinematika dan Antarmuka Robot SCARA Serpent Afrizal Mayub, Ivan Syahroni, Fahmizal, Muhammad Arrofiq	561 - 574
Sistem Kontrol Troli Rotari sebagai Tempat Penitipan Barang Otomatis menggunakan <i>Fuzzy Logic</i> Risnanda Satriatama, Denny Darlis, Porman Pangaribuan	575 - 590

ELKOMIKA:

JURNAL

TEKNIK ENERGI ELEKTRIK, TEKNIK TELEKOMUNIKASI, & TEKNIK ELEKTRONIKA

DAFTAR ISI

Volume 8 Nomor 3 Tahun 2020

Pengenalan Pola Sinyal <i>Electromyography</i> (EMG) pada Gerakan Jari Tangan Kanan	591 - 601
Wahyu Muldayani, Arizal Mujibtamala Nanda Imron, Khairul Anam, Sumardi, Widjonarko, Zilvanhisna Emka Fitri	
Desain dan Simulasi GMP Fluks Aksial Berbasis Dimensi Magnet Permanen Komersil	602 - 614
Pudji Irasari, Puji Widiyanto, Muhammad Fathul Hikmawan	
<i>Effect of Burning Temperature on The Quality of Alternatife Bio-energy from Coffee Waste</i>	615 - 626
Vibianti Dwi Pratiwi	
Evaluasi Kinerja <i>First Hop Redundancy Protocols</i> untuk Topologi <i>Star</i> di <i>Routing EIGRP</i>	627 - 641
Pramawahyudi, Ramdhani Syahputra, Ahmad Ridwan	
Peningkatan Efisiensi Energi pada Kendaraan Listrik dengan Elektronik Diferensial Berbasis ANN (<i>Artificial Neural Network</i>)	642 - 656
Sofyan Ahmadi, Khairul Anam, Widjonarko	
Pemodelan Arus Stator Motor Induksi Tiga Fasa dengan Metode Gear	657 - 671
Nanang Mulyono, Dwi Septiyanto, Suyanto	
<i>A Method for Determining Customers' Energy Shrinkage Cost</i>	672 - 682
Conny Kurniawan Wachjoe, Hermagasantos Zein, Siti Saodah	
<i>The Viability of Leap Motion Implementation in Controlling Drone using K-Nearest Neighbor Algorithm</i>	683 - 692
Lisa Kristiana, Hafidz Dayu Aditya	
<i>Deep Learning</i> untuk Klasifikasi Diabetic <i>Retinopathy</i> menggunakan Model EfficientNet	693 - 705
Syamsul Rizal, Nur Ibrahim, Nor Kumalasari Caesar Pratiwi, Sofia Saidah, Raden Yunendah Nur Fu'adah	

Address:

jl. PKH Mustapha No. 23
Bandung

Email:

jte.itenas@itenas.ac.id

Phone:

0227272215

Last Updated :

2021-02-03


2018

2019

2020



Search..



Search results for : **"the viability"**

[x_clear](#)

Page 1 of 1 | Total Records : 1

Publications

Citation


[The Viability of Leap Motion Implementation in Controlling Drone using K-Nearest Neighbor Algorithm](#)

L KRISTIANA, HD ADITYA


ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik ...

0

Page 1 of 1 | Total Records : 1



Citation Statistics





Copyright © 2017

Kementerian Riset dan Teknologi / Badan Riset dan Inovasi Nasional

(Ministry of Research and Technology / National Agency for Research and Innovation)

All Rights Reserved.



ELKOMIKA: JURNAL TEKNIK ENERGI ELEKTRIK, TEKNIK TELEKOMUNIKASI, & TEKNIK ELEKTRONIKA

TEKNIK ELEKTRO INSTITUT TEKNOLOGI NASIONAL BANDUNG

P-ISSN : 24599638 <> E-ISSN : 24599638 Subject Area : Engineering

0.93939
4
Impact Factor

1716
Google Citations

Sinta 2
Current
Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)

History Accreditation

2018 2019 2020 2021 2022 2023 2024

Garuda [Google Scholar](#)

Deteksi Suara Corona Discharge berdasarkan Noise menggunakan Metode LPC dan Euclidean Distance

Institut Teknologi Nasional, Bandung [ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika Vol 11, No 1 \(2023\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 72](#)

2023 [DOI: 10.26760/elkomika.v11i1.72](#) [Accred : Sinta 2](#)

Indeks Subjeks dan Indeks Pengarang

Institut Teknologi Nasional, Bandung [ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika Vol 11, No 1 \(2023\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr](#)

2023 [DOI: 10.26760/elkomika.v11i1.p](#) [Accred : Sinta 2](#)

Klasifikasi Sinyal EKG menggunakan Ciri Statistik dan Parameter Hjorth dengan SVM dan k-NN

Institut Teknologi Nasional, Bandung [Jurnal Elkomika Vol 10, No 1 \(2022\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 132](#)

2022 [DOI: 10.26760/elkomika.v10i1.132](#) [Accred : Sinta 2](#)

Sistem Multi Agen untuk Pelayanan Drone pada Groundbase Docking Station

Institut Teknologi Nasional, Bandung [Jurnal Elkomika Vol 10, No 4 \(2022\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 859](#)

2022 [DOI: 10.26760/elkomika.v10i4.859](#) [Accred : Sinta 2](#)

MPPT Fuzzy Logic dengan Pengendali PI pada Generator Sinkron Magnet Permanen untuk Aplikasi Pembangkit Listrik Pikohidro

[Institut Teknologi Nasional, Bandung](#) [Jurnal Elkomika Vol 10, No 1 \(2022\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 146](#)
2022 [DOI: 10.26760/elkomika.v10i1.146](#) [Accred : Sinta 2](#)

[Analisis Stabilitas Transien pada Onshore Windfarm Terhubung VSC-HVDC Sistem Jawa Bali](#)

[Institut Teknologi Nasional, Bandung](#) [Jurnal Elkomika Vol 10, No 4 \(2022\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 873](#)
2022 [DOI: 10.26760/elkomika.v10i4.873](#) [Accred : Sinta 2](#)

[Steganography Based on Data Mapping and LSB Substitution With RSS Key Generation](#)

[Institut Teknologi Nasional, Bandung](#) [Jurnal Elkomika Vol 10, No 1 \(2022\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 1](#)
2022 [DOI: 10.26760/elkomika.v10i1.1](#) [Accred : Sinta 2](#)

[Pengendalian Simulator Water Supply System menggunakan PID Berdasarkan Identifikasi](#)

[Institut Teknologi Nasional, Bandung](#) [Jurnal Elkomika Vol 10, No 1 \(2022\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 213](#)
2022 [DOI: 10.26760/elkomika.v10i1.213](#) [Accred : Sinta 2](#)

[Perbandingan Deteksi Letak Polip pada Citra Colonoscopy menggunakan CNN dengan Arsitektur RetinaNet](#)

[Institut Teknologi Nasional, Bandung](#) [Jurnal Elkomika Vol 10, No 4 \(2022\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 946](#)
2022 [DOI: 10.26760/elkomika.v10i4.946](#) [Accred : Sinta 2](#)

[Perancangan MPPT Modified Incremental Conductance menggunakan Interleaved Boost Converter untuk Reduksi Osilasi](#)

[Institut Teknologi Nasional, Bandung](#) [Jurnal Elkomika Vol 10, No 1 \(2022\): ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektr 76](#)
2022 [DOI: 10.26760/elkomika.v10i1.76](#) [Accred : Sinta 2](#)

[View more ...](#)

The Viability of Leap Motion Implementation in Controlling Drone using K-Nearest Neighbor Algorithm

LISA KRISTIANA, HAFIDZ DAYU ADITYA

Department of Informatics Institut Teknologi Nasional Bandung, Indonesia
Email: lisa@itenas.ac.id

Received 14 Juni 2020 | *Revised* 11 Juli 2020 | *Accepted* 16 Agustus 2020

ABSTRAK

Pengendalian drone secara konvensional menggunakan joystick mengurangi fleksibilitas pergerakannya. Metode pengendalian akan menjadi lebih bebas dan fleksibel dengan menggunakan pergerakan tangan. Metode pengendalian dengan pergerakan tangan ini menghasilkan data set dalam jumlah yang besar yang mengendalikan arah drone. Dengan alasan tersebut, Leap Motion Controller dibutuhkan untuk merekam dan mengenali contoh-contoh pose tangan dan mengekstrak data set. Metode pendekatan yang dilakukan adalah menggunakan algoritma K-Nearest Neighbor (KNN) untuk mengklasifikasikan nilai x , y , z , Pitch, Roll dan Yaw yang berdasarkan pergerakan pesawat konvensional. Riset ini fokus pada nilai akurasi dalam menerapkan peralatan Leap Motion dalam mengontrol arah drone dengan menggunakan algoritma KNN. Hasil eksperimen menunjukkan bahwa nilai $k = 3$ menghasilkan tingkat akurasi sebesar 72.8%.

Kata kunci: Drone Controller, Hand Gesture, K-Nearest Neighbor Algorithm, Leap Motion, K-value

ABSTRACT

Controlling a drone can be more entertaining and flexible by using a hand gesture compare to the conventional mode by using a joystick. However, a drone controlling using the hand gestures produce a large number of data sets that drive the drone's movements in particular. For this reason, a Leap Motion Controller is required to record and recognize the hand pose samples and extract the data sets. Our approach is to use the K-Nearest Neighbor (KNN) algorithm as our method in order to classify the x , y , z , Pitch, Roll and Yaw values which are based on the conventional aircraft motions. This research focuses on the accuracy value of implementing the Leap Motion device to control a drone with the KNN algorithm. The result shows that the k -values from 3 obtain 72.8% of accuracy

Keywords: Drone Controller, Hand Gesture, K-Nearest Neighbor Algorithm, Leap Motion, K-value

1. INTRODUCTION

A drone technology and its implementation have been developed during the last decade. (Kim, 2017). There are several conventional methods to drive a drone such as a joystick and a mobile phone as controllers (Rechy-Ramirez, 2018). In addition, a drone can also be controlled using a leap motion device (Hadi, 2016). The leap motion device offers the flexibility of drone's movement since it relies on hand's gesture (Sarkar, 2016). However, the motions that are produced by the hand's gesture lead to a complexity in terms of data samples and accuracy (Weichert, 2013). Thus, this research focuses on implementing the leap motion in controlling a drone and addressing the complexity of hand's gesture recognition. The existing hand gesture recognition such as Support Vector Machines (SVM) and the Hidden Markov Models (HMM) only gains 12% accuracy (Ren, Y., 2009). Based on that, our approach is to evaluate the K-Nearest Neighbor (KNN) method in order to determine the drone's movement. This paper consists of hand gesture recognition system which is provided in Section II. The KNN algorithm and its relevance to the drone movement are discussed in section III. The evaluation of our approach is presented in Section IV and followed by the conclusion which is provided in Section V.

2. LEAP MOTION-TO-DRONE CONTROLLING SYSTEM

The leap motion devices require inputs that are produced by the hand's gesture recognition system (Hsiao, 2016). These inputs are the gesture-tracking of Pitch, Roll, and Yaw values. Concurrently, these values are classified by KNN algorithm that contains 2 processes *i.e.*, the training data and recognition process as shown in Figure 1.




Figure 1. System Diagram

A training process is the process of collecting hand's gesture samples. These hand gesture samples, also known as Training data, are captured by the Leap Motion Controller (Dzulkarnain, 2016). As the result, the Training data are extracted therefore the Pitch, Roll and Yaw values are obtained. These values are further evaluated using the KNN algorithm in

order to determine the data validity. The valid data is stored as a reference in recognizing process.

A recognizing process starts with a Test data sampling which has the similar algorithm with the Training data. As a result, the values which are evaluated by the KNN algorithm are classified into the same tone based on the stored training data. The outputs of this process are tones which have the highest similarity value to the training data.

2.1. The Hand's Gestures Classification

In this work, there are six hand's gestures which are used to classify the flying movement of the drone as illustrated in Figure 2.




Figure 2. The Six Classes of the Hand's Gestures

2.2. Data Extraction in Leap Motion Controller

A Leap Motion Controller is a device that detects hand and fingers based on their current position. This device operates on 200 Frame per Second (fps) using 2 infrared cameras with high precision and 3 LEDs to capture the active palm range in a short distance about 1 meter. The Leap Motion uses the complex mathematics to extract the 3D position and comparing it to 2D frame which is generated by two cameras. The Leap motion controller is illustrated in Figure 3(a), shows the two infrared cameras along with three LEDs, which is implemented in this work.

The 3D coordinates as illustrated in Figure 3(b), are determined in Cartesian (x, y, z), thus the direction of "Up", "Right", "Left", "To monitor", and "To User" are defined. When the leap motion detects a hand and fingers, the detected images are tagged with unique IDs. The new ID will be applicable when the trace is disappeared. The hand detection illustration using the leap motion is shown in Figure 4(a). It indicates the right hand value with several blue points. In addition, the values of Pitch, Roll, and Yaw are obtained as follow: the Pitch value is the rolling movement in a y-axis, the Roll value is the rolling movement in a x-axis, and the Yaw value is the rolling movement in a z-axis (Figure 4(b)). Those values are represented in a palm position as illustrated in Figure 4(c).




Figure 3. (a) Leap Motion Controller Schematic, (b) Leap Motion Controller (Weichert, 2013)




Figure 4. (a) Hand Detection on With Leap Motion Controller, (b) Pitch, Yaw, Roll and Palm Position (Weichert, 2013)

2.3. K-Nearest Neighbor (KNN)

K-Nearest Neighbor (KNN) is a method to classify an object based on training data which are located closest to that particular object (**Croassacipto, 2019**). This classification method considers the new object based on attribute and training data. Once a query point is determined, therefore, the K object and training points are learned based on the closest position to the determined query points. A prediction value is set based on the neighbour classification. With the obtained K value, thus the accuracy of training data and testing data are obtained.

The Euclidean distance is used to calculate the distance between neighbors and formulated in Equation (1).

$$D(a, b) = \sqrt{\sum_{k=1}^d (a_k - b_k)^2} \quad (1)$$

Where :

- $D(a,b)$: Euclidean Distance Value (scalar)
- a : training data
- b : testing data (classification)
- k : k (feature)
- d : dimension (number of k)

Figure 5 shows the classification process in KNN algorithm. In KNN algorithm there are 2 processes, namely the process of preparing training data and test data (classification process) which are discussed as follow:




Figure 5. Classification Process Flowchart With KNN Algorithm

2.3.1. Training Data Preparation Process

The training data preparation process as shown in Figure 6(a) is used as a parameter to determine the navigation direction system according to the hand gestures. Where will be stored several sample data values Pitch, Roll, Yaw, X, Y, Z into the dataset.

2.3.2. Classification Process

Test data or classification process as shown in Figure 6.b is done by comparing the values of Pitch, Roll, Yaw, X, Y, Z received with the value of the previous training data stored in the dataset.




Figure 6. (a) Training Data Preparation Process, (b) Classification Process

3. TESTING AND EVALUATION

The real measurement of drone controlling using leap motion is applied with device's specification (<https://developer.leapmotion.com>) (Birdayansyah, 2015) as listed in Table 1.

As a result, Table 2 – Table 5 show the implementation of KNN algorithm with k-values as determined in range from k = 1 – 5. The numbers of data testing are obtained as shown in Table 3 until Table 6.

Table 1. Device's Specifications

Description	Unit
Drone Flying Distance	30 Meters
Battery Flying Time	5 - 6 minutes.
Gyro	6 axis
Quadcopter Size	8.5x8.5x7.5cm
Arduino Uno	ATmega328
LCD	16x2
Leap Motion Connector	LM01, USB
Leap Motion Performance	200 reports per second
Leap Motion Accuracy	± 0.00039 in

Table 2. Testing Result k=1

No.	Flying Direction	Numbers of Data Testing	Classification		Accuracy	Error
			True	False		
1.	Throttle Up	226	226	0	100%	0%
2.	Throttle Down	284	284	0	100%	0%
3.	Throttle Left	402	178	224	44.2%	55.7%
4.	Throttle Right	278	46	232	16.5%	83.4%
5.	Throttle Forward	304	304	0	100%	0%
6.	Throttle Backward	216	216	0	100%	0%
Average					72.8%	27.1%

Table 3. Testing Result k=2

No.	Flying Direction	Numbers of Data Testing	Classification		Accuracy	Error
			True	False		
1.	Throttle Up	226	226	0	100%	0%
2.	Throttle Down	284	368	0	100%	0%
3.	Throttle Left	402	176	226	43.8%	56.2%
4.	Throttle Right	278	46	232	16.5%	57.7%
5.	Throttle Forward	304	304	0	100%	0%
6.	Throttle Backward	216	216	0	100%	0%
Average					72.2%	27.3%

Table 4. Testing Result k=3

No.	Flying Direction	Numbers of Data Testing	Classification		Accuracy	Error
			True	False		
1.	Throttle Up	226	226	0	100%	0%
2.	Throttle Down	284	284	0	100%	0%
3.	Throttle Left	402	176	226	43.8%	56.2%
4.	Throttle Right	278	47	231	16.9%	83.1%
5.	Throttle Forward	304	304	0	100%	0%
6.	Throttle Backward	216	216	0	100%	0%
Average					72.8%	27.2%

Table 5. Testing Result k=4

No.	Flying Direction	Numbers of Data Testing	Classification		Accuracy	Error
			True	False		
1.	Throttle Up	226	226	0	100%	0%
2.	Throttle Down	284	284	0	100%	0%
3.	Throttle Left	402	167	235	41.6%	58.4%
4.	Throttle Right	278	47	231	16.9%	83.4%
5.	Throttle Forward	304	204	0	100%	0%
6.	Throttle Backward	216	216	0	100%	0%
Average					72.3%	27.7%

Table 6. Test Result k=5

No.	Flying Direction	Numbers of Data Testing	Classification		Accuracy	Error
			True	False		
1.	Throttle Up	226	226	0	100%	0%
2.	Throttle Down	284	284	0	100%	0%
3.	Throttle Left	402	167	235	41.5%	58.5%
4.	Throttle Right	278	47	231	16.9%	83.4%
5.	Throttle Forward	304	204	0	100%	0%
6.	Throttle Backward	216	216	0	100%	0%
Average					72.3%	27.7%




Figure 7. Classification Diagram Result

Based on the test results as shown in Table 2, Table 3, Table 4, Table 5 and Table 6, with the predetermined k, it was found that the optimal k value is k = 3 with an accuracy of 73.8% as visualized in Figure 7 for each flight direction. As indicated in Figure 7 the throttle up (TU) movement has 226 data that are appropriate visualized in dark blue color. For throttle down (TD) movement, it has 284 suitable data that are visualized in red color. For throttle forward (TF) data it has 304 corresponding data that are visualized in green color, for throttle back

(TB) data it has 216 data that is visualized in light blue color. For throttle left (TL) data from 402 recorded data, there were 176 data matches while 226 data were not suitable (235 data detected throttle forward) which were visualized in pink color. For throttle right (TR) data from 278 data recorded 47 data is true while 231 data is not suitable (150 data is detected throttle left and 81 data is detected throttle up) visualized in purple color. In overall, the drone flight in aforementioned directions i.e., TU, TD, TF, TB, TL and TD with 73.8% accuracy by implementing the leap motion.

4. CONCLUSION AND FUTURE WORK

This work managed to control the drone movements using the leap motion. The KNN algorithm achieved to classify hand poses based on the x , y , z , Pitch, Roll and Yaw values, specifically with k -value optimal spanned from $k = 1$ to $k = 5$. The accuracy value reached 73.8% under the position change states. However, the system experienced delays in command processing. In addition, the accumulated commands caused the halting operation in drone movement. In future, the higher speed processor and different data set platform will be integrated to overcome the delays and the accumulated commands.

REFERENCES

- Birdayansyah, R., Soedjarwanto, N., & Zebua, O. (2015). Pengendalian Kecepatan Motor DC Menggunakan Perintah Suara Berbasis Mikrokontroler Arduino. *Electrician*, *9*(2), 97-108.
- Croassacipto, M., Ichwan, M., & Utami, D. B. (2019). Klasifikasi Nada Sesuai Kodály Handsign Dengan Metode K-Nearest Neighbor Pada Leap Motion Controller. *Indonesia Journal on Computing (Indo-JC)*, *4*(1), 75-84.
- Hadi, S. W., Setyawan, G. E. & Maulana, R., (2017). Sistem Kendali Terbang *Ar.Drone Quadcopter* Dengan Prinsip *Natural User Interface* Menggunakan *Microsoft Kinect*. *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer (J-PTIIK)*, 380-386.
- Hsiao, D. Y., Sun, M., Ballweber, C., Cooper, S., & Popović, Z. (2016, May). Proactive sensing for improving hand pose estimation. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*, (pp. 2348-2352).
- Dzulkarnain, I., Sumpeno, S., & Christyowidiasmoro. (2016). Pengenalan Isyarat Tangan Menggunakan *Leap Motion Controller* untuk Pertunjukan Boneka Tangan *Virtual*. *Jurnal Teknik ITS*, *5*(2).
- Kim, J., Park, C., Ahn, J., Ko, Y., Park, J., & Gallagher, J. C. (2017, March). Real-time UAV sound detection and analysis system. In *2017 IEEE Sensors Applications Symposium (SAS)*, (pp. 1-5).
- Python SDK Leap Motion Documentation, <https://developer.leapmotion.com/documentation>. Last visited : Oktober 2019.

- Rechy-Ramirez, E. J., Marin-Hernandez, A., & Rios-Figueroa, H. V. (2018). Impact of commercial sensors in human computer interaction: a review. *Journal of Ambient Intelligence and Humanized Computing*, *9*(5), 1479-1496.
- Ren, Y., & Zhang, F. (2009). Hand gesture recognition based on MEB-SVM. In *2009 International Conference on Embedded Software and Systems*, (pp. 344-349).
- Sarkar, A., Patel, K. A., Ram, R. G., & Capoor, G. K. (2016, March). Gesture control of drone using a motion controller. In *2016 International Conference on Industrial Informatics and Computer Systems (CIICS)* (pp. 1-5). IEEE.
- Weichert, F., Bachmann, D., Rudak, B., & Fisseler, D. (2013). Analysis of the accuracy and robustness of the leap motion controller. *Sensors*, *13*(5), 6380-6393.

INDEKS SUBJEKS

Akselerasi, 642
Alokasi biaya kerugian energi, 672
Ampas Kopi, 615
Antarmuka, 561
Arduino, 533
Artificial Neural Network, 546
Artificial Neural Network, 591
Bahan Bakar Alternatif, 615
Berbayang Sebagian, 546
Briket, 615
CNN, 693
Cross-Correlation, 505
Cubic spline, 467
Deep Learning, 693
Diabetic Classification, 693
Diabetic Retinopathy, 693
Drone Controller, 683
EfficientNet, 693
Efisiensi, 492
Efisiensi, 642
EIGRP, 627
Electromyogram, 591
Elektronik Diferensial, 642
FHRP, 627
Fluks aksial, 602
Frekuensi Televisi, 505
Fuzzy Logic Controller, 575
Generator, 602
GLBP, 627
Governor elektrik, 533
Hand Gesture, 683
Heatmap, 467
HSRP, 627
Hubungan Paralel, 546
Hukum-hukum listrik, 672
Incremental Conductance, 546
Interpolasi, 467
K-Nearest Neighbor Algorithm, 683
K-value, 683
Kendali PID, 561
Kendali skalar, 477
Kinematika, 561
Klasifikasi sinyal, 591
Komponen biaya-biaya listrik, 672
Kontrol Angle of Attack (AoA), 492
LabView, 477
Leap Motion, 683
Magnet permanen, 602
Matrix converter, 518
Metode Gear, 657
Metode venturini, 518
Model dinamik, 657
Model rangkaian ekivalen, 672
Motor BLDC, 642
Motor Induksi, 518
Motor Induksi, 657
MPPT, 546
Myo Armband, 591
Neural network-Logic, 642
ODE15, 657
Panel surya, 467
Particle Swarm Optimization, 477
PID, 477
Pirolisis, 615
Protokol, 627
Radar Pasif, 505
Rotor ganda, 602
Routing, 627
RTL2832U, 505
SCARA Serpent, 561
SDR, 505
Sistem kontrol, 533
Stator tunggal, 602
Tangan kanan, 591
Tegangan sistem, 672
Tempat penitipan barang, 575
Troli rotari, 575
TSR, 492
Turbin screw, 533
VAWT, 492
VRRP, 627

INDEKS PENGARANG

Afrizal Mayub, 561
Ahmad Ridwan, 627
Aldry Hernanda Setiawan, 467
Aloysius Adya Pramudita, 505
Anang Tjahjono, 546
Angga Wahyu Aditya, 477
Arizal Mujibtamala Nanda Imron, 591
Bayu Erfianto, 467
Budhy Setiawan, 492
Conny Kurniawan Wachjoe, 672
Denny Darlis, 575
Dimas Nur Prakoso, 546
Dwi Septiyanto, 657
Era Purwanto, 477
Era Purwanto, 518
Erfansyah Ali, 505
Fahmizal, 561
Gamar Basuki, 518
Khairul Anam, 591
Hafidz Dayu Aditya, 683
Handri Toar, 477
Hanif Hasyier Fakhrudin, 477
Hary Oktavianto, 477
Hary Oktavianto, 518
Hermagasantos Zein, 672
Ika Noer Syamsiana, 492
Ivan Syahroni, 561
Khairul Anam, 642
Lisa Kristiana, 683
Mentari Putri Jati, 518
Muhammad Arrofiq, 561
Muhammad Fathul Hikmawan, 602
Muhammad Nizar Habibi, 546
Mochamad Ari Bagus Nugroho, 518
Nanang Mulyono, 657
Nor Kumalasari Caesar Pratiwi, 693
Novie Ayub Windarko, 546
Nur Ibrahim, 693
Pramuda Nugraha, 533
Porman Pangaribuan, 575
Pramawahyudi, 627
Pudji Irasari, 602
Puji Widiyanto, 602
Raden Akbar Nur Apriyanto, 477
Raden Yunendah Nur Fu'adah, 693
Ramdhani Syahputra, 627
Reza Aditya, 533
Risnanda Satriatama, 575
Septyana Riskitasari, 492
Siti Saodah, 672
Sofia Saidah, 693
Sofyan Ahmadi, 642
Sumardi, 591
Suyanto, 657
Syamsul Rizal, 693
Tarsisius Kristiyadi, 533
Vibianti Dwi Pratiwi, 615
Wahyu Aulia Nurwicaksana, 492
Wahyu Muldayani, 591
Widjonarko, 591
Widjonarko, 642
Yonatan Edwin Marpaung, 505
Zilvanhisna Emka Fitri, 591

UCAPAN TERIMA KASIH

Dewan Redaksi Jurnal Elkomika mengucapkan terima kasih kepada :

Afaf Fadhil, M.T.

Dr. Ing. Deny Hamdani

Dani Rusirawan, Ph.D.

Sriyani Violina, M.T.

Dr. Levy Olivia Nur

Fuad Ughi, M.T.

Sugondo Hadiyoso, M.T.

Rolly Maulana Awangga, M.T.

Muhammad Reza Kahar Aziz, Ph.D.

Dr. Eng. Aryuanto Soetedjo

Denny Darlis, M.T.

Aulia Arif Iskandar, Ph.D.

Lisa Kristiana, Ph.D.

Niken Syafitri, Ph.D.

Dr. Rizal Munadi

Dr. Sumardi Sadi

Dr. Aloysius Adya Pramudita

Fahmi Arif, Ph.D.

Dr. Marisa Paryasto

Syah Alam, M.T.

Politeknik Manufaktur Bandung

Institut Teknologi Bandung

Institut Teknologi Nasional Bandung

Universitas Widyatama

Universitas Telkom

Swiss-Germany University (SGU)

Universitas Telkom

Politeknik Pos Indonesia

Institut Teknologi Sumatera (ITERA)

Institut Teknologi Nasional (ITN) Malang

Universitas Telkom

Swiss-Germany University (SGU)

Institut Teknologi Nasional Bandung

Institut Teknologi Nasional Bandung

Universitas Syiah Kuala

Universitas Muhammadiyah Tangerang

Universitas Telkom

Institut Teknologi Nasional Bandung

Universitas Telkom

Universitas Trisakti

Sebagai **Mitra Bestari** yang telah bekerja sama dan turut membantu dalam melakukan proses penerbitan ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika Volume 8 Tahun 2020.

PETUNJUK PENULISAN NASKAH

Jurnal Ilmiah ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika telah **Terakreditasi Peringkat 2 sesuai dengan SK No. 30/E/KPT/2018** pada tanggal 24 Oktober 2018, dan **Peringkat 2 sesuai dengan SK No. 36/E/KPT/2019**. Jurnal ini sepenuhnya diperiksa oleh Redaksi Ahli yang berkompeten di bidangnya masing – masing. Redaksi menerima artikel ilmiah berupa hasil penelitian, gagasan, dan konsepsi dalam ilmu pengetahuan dan teknologi. Artikel Jurnal ELKOMIKA dalam versi cetak telah di-*online*-kan menggunakan *Open Journal System* (OJS) pada <http://ejournal.itenas.ac.id/index.php/elkomika>.

Pemasukan Naskah

1. Penulis dapat mengunduh *template* jurnal di menu *template* pada *Open Journal System* (OJS) <http://ejournal.itenas.ac.id/index.php/elkomika>.
2. Naskah yang telah disesuaikan dengan *template* jurnal berupa *softcopy* dapat diunggah melalui OJS setelah melakukan registrasi terlebih dahulu.
3. Naskah tulisan harus asli, belum pernah dimuat di media lain, atau tidak sedang dalam proses untuk dimuat di media lain.
4. Naskah pertama kali akan diperiksa berdasarkan kesesuaian *template* oleh Pemimpin Redaksi, dan juga akan dicek tingkat Plagiasi dengan *software iThenticate*.
5. Seluruh naskah yang masuk ke redaksi akan diperiksa oleh Redaksi Ahli sesuai dengan bidang kajian naskah. Aspek yang diperiksa menyangkut kesahihan informasi, kontribusi substantif terhadap bidang kajian, serta kejelasan dan kualitas presentasi naskah.
6. Naskah yang disajikan tidak sesuai dengan ketentuan jurnal akan dikembalikan.

Ketentuan Naskah

1. Naskah diketik dengan menggunakan komputer dalam format MS Word, dengan kertas berukuran A4, dan berjarak 1 spasi. Font yang digunakan adalah Tahoma untuk semua *style* dengan ukuran 11. Jumlah halaman penulisan adalah antara 10 – 15 halaman, disertai abstrak (maksimum 160 kata) dan kata kunci (5 - 6 kata) dalam bahasa Inggris dan bahasa Indonesia dengan menggunakan huruf miring. Naskah diberi nomor halaman.
2. Naskah tulisan dapat ditulis dalam bahasa Indonesia atau bahasa Inggris. Bila menggunakan bahasa Indonesia diharapkan memperhatikan pedoman dan istilah yang telah dibakukan. Bila terpaksa menggunakan istilah asing, hendaknya digunakan huruf miring pada kata tersebut.
3. Naskah disusun dengan urutan: Judul, nama penulis (tanpa gelar), instansi tempat bekerja, dan alamat email, abstrak dan kata kunci (Indonesia dan Inggris), pendahuluan, metodologi penelitian, hasil dan pembahasan, kesimpulan dan saran, dan daftar rujukan. Jika penulis lebih dari satu orang, nama penulis dicantumkan berurutan ke samping, dengan nama penulis utama dicantumkan paling awal.
4. Naskah dapat dilengkapi dengan tabel, grafik, gambar, dan foto dalam format hitam-putih dengan ukuran 10. Tabel, grafik, gambar, dan foto harus diberi judul yang singkat dan jelas, dan masing-masing diberi nomor urut yang sesuai pada isi naskah. Penulisan daftar rujukan **wajib** menggunakan **reference tool**, seperti Mendeley, EndNote, Reference in MS Word, dan lainnya, serta **diurutkan sesuai abjad** dari A sampai Z.
5. Redaksi berhak memperbaiki tata bahasa dari naskah yang akan dimuat tanpa mengubah maksud isinya.
6. Daftar rujukan minimal 15 buah yang berisi hanya yang dirujuk dalam tulisan saja dengan tata cara penulisan:
Atzori, L. & Andreas (2002). Performance Analysis of Fractal Modulation Transmission over Fast-Fading Wireless Channels. *Journal IEEE Transactions on Broadcasting*. 48(2): 103-110.
Bohmer, M. (2012). *Beginning Android ADK with Arduino*. New York: Apress.
Meier, R. (2012). *Professional Android™ 4 Application Development*. Indianapolis: John Wiley & Sons, Inc.
Zeng, G., & Qiu, Z. (2008). Audio Watermarking in DCT. *International Conference on Signal Processing* (pp. 2193-2196).
Mac, D. (1992). *Post-Modernism and Urban Planning*. Dipetik pada 25 Juni 2010 dari <http://www3.sympatico.ca/david.macleod/POMO.HTM>
7. Contoh penulisan rujukan pada artikel adalah ".....Pada tahun 2012, penelitian yang dilakukan oleh Meier (**Meier, 2012**) dan (**Atzori, dkk, 2002**) timnya, mengirimkan data dengan kecepatan tinggi....."

JURUSAN TEKNIK ELEKTRO
Institut Teknologi Nasional

•
Gedung 20 Jl. PHH. Mustofa 23
Bandung 40124
Telp. (022) 7272215 (ext. 206)
Fax. (022) 7202892
Email: jte.itenas@itenas.ac.id



ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika

eISSN : 24599638 | pISSN : 24599638

Engineering

Institut Teknologi Nasional Bandung



S2

Sinta Score



Indexed by GARUDA

12

H-Index

12

H5-Index

646

Citations

637

5 Year Citations

ISSN 2502-3123

ISSN 2502-3123

ISSN 2502-3123

JURNAL

ELKOMIKA

TEKNIK ENERGI ELEKTRIK • TEKNIK SISTEM ENERGI ELEKTRIK • TEKNIK ELEKTRONIKA

REDAKSI: JALAN SATELIT 100, KAMPUS DUKUN, SURABAYA 60132

Volume 17
No. 1

April
2019

Penyunting
Engelbertus Dwi P.

Penyunting
Siti Nur Hafidha

Penerbit:

Teknik Elektro Institut Teknologi Nasional Bandung